

Ultrasound selectively damages cancer cells when tuned to correct frequencies

January 7 2020



Targeted pulsed ultrasound takes advantage of the unique mechanical properties of cancer cells to destroy them while sparing healthy cells. Credit: David Mittelstein

Doctors have used focused ultrasound to destroy tumors without invasive surgery for some time. However, the therapeutic ultrasound used in clinics today indiscriminately damages cancer and healthy cells alike.



Most forms of ultrasound-based therapies either use high-intensity beams to heat and destroy <u>cells</u> or special contrast agents that are injected prior to ultrasound, which can shatter <u>nearby cells</u>. Heat can harm <u>healthy cells</u> as well as <u>cancer cells</u>, and contrast agents only work for a minority of tumors.

Researchers at the California Institute of Technology and City of Hope Beckman Research Institute have developed a low-intensity ultrasound approach that exploits the unique physical and structural properties of tumor cells to target them and provide a more selective, safer option. By scaling down the intensity and carefully tuning the frequency to match the <u>target cells</u>, the group was able to break apart several types of cancer cells without harming healthy blood cells.

Their findings, reported in *Applied Physics Letters*, are a new step in the emerging field called oncotripsy, the singling out and killing of cancer cells based on their <u>physical properties</u>.

"This project shows that ultrasound can be used to target cancer cells based on their mechanical properties," said David Mittelstein, lead author on the paper. "This is an exciting proof of concept for a new kind of cancer therapy that doesn't require the cancer to have unique molecular markers or to be located separately from healthy cells to be targeted."

A solid mechanics lab at Caltech first developed the theory of oncotripsy, based on the idea that cells are vulnerable to ultrasound at specific frequencies—like how a trained singer can shatter a wine glass by singing a specific note.

The Caltech team found at certain frequencies, low-intensity ultrasound caused the cellular skeleton of cancer cells to break down, while nearby healthy cells were unscathed.



"Just by tuning the frequency of stimulation, we saw a dramatic difference in how cancer and healthy cells responded," Mittelstein said. "There are many questions left to investigate about the precise mechanism, but our findings are very encouraging."

The researchers hope their work will inspire others to explore oncotripsy as a treatment that could one day be used alongside chemotherapy, immunotherapy, radiation and surgery. They plan to gain a better understanding of what specifically occurs in a cell impacted by this form of ultrasound.

More information: Taeyang Kim et al, Narrow band photoacoustic lamb wave generation for nondestructive testing using candle soot nanoparticle patches, *Applied Physics Letters* (2019). DOI: 10.1063/1.5100292

Provided by American Institute of Physics

Citation: Ultrasound selectively damages cancer cells when tuned to correct frequencies (2020, January 7) retrieved 9 May 2024 from <u>https://phys.org/news/2020-01-ultrasound-cancer-cells-tuned-frequencies.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.