

Breaking up amino acids with radiation

February 5 2020



Credit: CC0 Public Domain

Small organic molecules, including the amino acids that form the 'building blocks' of proteins in living cells, fragment to form ions under the impact of high-energy radiation such as electron beams. A new study published in *EPJ D* has now shown what happens when electrons collide with one amino acid, glutamine. The extent of the damage and the nature



of the ions formed are both affected by the energy of the colliding electrons. This work arises from a collaboration between experimental physicists led by Alexander Snegursky at the Institute of Electron Physics, Uzhgorod, Ukraine and theoreticians led by Jelena Tamuliene at Vilnius University, Vilnius, Lithuania.

The damaging effect of very high-energy radiation on human tissue is well-known from disasters such as the nuclear accidents at Chernobyl and Fukushima. However, the long-term effects experienced by survivors of such disasters, including an increased risk of cancer, are partly caused by the impact of rather lower-energy radiation. The groups chose to study the effect of electron impact on <u>amino acids</u> because they are less widely studied in this context than DNA.

Snegursky and his colleagues used <u>mass spectrometry</u> to measure the mass-to-charge ratio and thus determine the nature of chemical fragments produced when one biologically important amino acid, glutamine, was bombarded with uniform electron beams with different radiation doses. Meanwhile, the theoretical team modelled the electronic and geometric structures of glutamine and its fragments using quantum mechanics. The observed fragmentation patterns differed according to the radiation dose that the molecules received, and the experimental results were largely borne out by the simulations. The study authors believe that this basic research will have implications for understanding the effect of ionising radiation on human cells, improving the selectivity of radiotherapy beams for cancer cells, and even, perhaps, understanding the origin of life.

More information: Jelena Tamuliene et al, High-energy ionizing radiation influence on the fragmentation of glutamine, *The European Physical Journal D* (2020). DOI: 10.1140/epjd/e2019-100523-7



Provided by Springer

Citation: Breaking up amino acids with radiation (2020, February 5) retrieved 27 June 2024 from <u>https://phys.org/news/2020-02-amino-acids.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.