

# How ants get angry: Precise 'lock and key' process regulates aggression, acceptance

February 3 2020, by Spencer Turney

---



Ant societies are based on on a friend or foe model, where protecting the queen and the colony is vital. Vanderbilt is studying aggression in ants to better understand this structure and behavior. Credit: Vanderbilt University / Joe Howell

For most social animals, even humans, the ability to distinguish friend

versus foe can be a challenge that often can lead to knee-jerk aggression. But when it comes to ants getting aggressive, there's a more sophisticated method to their madness.

In a new study, published this month in the *Journal of Experimental Biology*, scientists in the Department of Biological Sciences at Vanderbilt report definitive evidence of a specific mechanism within [ants](#) that is responsible for unlocking aggressive behaviors toward other ants. The research—the first to pinpoint this mechanism and its precise role in ant biology—reports a social characteristic which could help account for their [evolutionary success](#).

"Eusocial ants are one of the biggest success stories in [evolutionary biology](#), thanks in no small part to their advanced organizational behaviors and complex social interactions," said Laurence Zwiebel, senior author of the paper and Cornelius Vanderbilt Chair in Biological Sciences. "For years, researchers have hypothesized that ants have specific chemical markers which play key roles in their interactions. What surprised us is that ants not only have these markers, but require these signals be very precisely decoded by specific receptors to trigger aggression."

One of the most important aspects of ant identity is the ability to distinguish nestmates from non-nestmates that typically act as bad actors. To do this, they rely on chemical markers made up of specific odorants on their bodies, which Zwiebel refers to as a "coat of many odors," to emit complex odor blends that act as a sort of personal identifier for other ants.

In this study, the researchers discovered that ants have to smell and correctly decode these specific compounds on intruder ants from other colonies in order to "unlock" their aggressive [behavior](#) and defend their nest. This implies that ants default to acceptance and select aggression

only if they are specifically triggered.

To study this "lock and key" mechanism, Zwiebel and graduate student Stephen Ferguson, the lead author on the study, gathered *Camponotus floridanus* ants from nine distinct colonies collected across the Florida Keys.

Before testing, they used a specific chemical agent previously discovered by Zwiebel lab to block or over-excite ant odorant receptors. They set up mini-dueling arenas for two ants (either from the same or different colonies) to interact and, if they decide, fight. During each arena test, they filmed the ants to score the interactions based on their [aggressive behaviors](#)—the most common being lunging, biting or dragging.

While ants with normal receptors continued to recognize and fight ants from other colonies, ants with blocked or over-activated receptors displayed dramatically reduced aggressive behavior.

"Accepting friends and rejecting foes is one of the most important decisions an ant worker must make," said Ferguson. "Our study finds that unless there is a clear and unambiguous threat, ants are more likely to be accepting than they are to be aggressive. This process may have contributed to the evolutionary success of these insects, and there may be important lessons about tempering aggression for other social beings such as humans."

**More information:** Stephen T. Ferguson et al, Odor coding of nestmate recognition in the eusocial ant *Camponotus floridanus*, *The Journal of Experimental Biology* (2020). [DOI: 10.1242/jeb.215400](https://doi.org/10.1242/jeb.215400)

Provided by Vanderbilt University

Citation: How ants get angry: Precise 'lock and key' process regulates aggression, acceptance (2020, February 3) retrieved 19 April 2024 from <https://phys.org/news/2020-02-ants-angry-precise-key-aggression.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.