

New climate model projects major impact on coral, important fish habitats

February 20 2020



A Greater Forkbeard (*Phycis blennoides*) swimming over cold-water coral reef in the Logachev coral mound complex (ATLAS Case Study Rockall Bank, NE Atlantic). Credit: J Murray Roberts, Changing Oceans Expedition 2012 (cruise JC073)

A new model has projected that current trends in climate change could place over 50% of North Atlantic cold-water coral habitat at risk, while suitable habitats for commercially important deep-sea fish could shift by up to 1000 km northwards. These effects could have far-reaching impacts on the ocean, including significant loss of suitable habitats for deep-sea species, which will in turn affect economies and communities reliant on fish stocks.

The model, published in the journal *Global Change Biology*, was developed by researchers as part of the EU-funded ATLAS and SponGES projects, which aim to advance understanding of deep Atlantic ecosystems and support greater ocean governance and management.

The model uses new projections of deep Atlantic water properties and a larger compilation of [species](#) occurrence data than in similar studies. It is the first study of its kind to assess how much suitable habitat may be lost, gained, or sustained as areas for certain species to survive if [global carbon emissions](#) continue on their current trajectory. These areas, termed refugia, allow isolated pockets of species to survive in otherwise unfavorable conditions.

The ocean plays a crucial role in global climate regulation through uptake and storage of heat and carbon dioxide. However, changes linked to this regulation have consequences for the health of the ocean, including warming, acidification and deoxygenation of the ocean's waters, leading to decreased food availability at the seafloor and ultimately compromising key ecosystem services. The new model's projections for key Atlantic cold-water coral and deep-sea fish habitats for commercially important fish species incorporate data on these effects, based on global carbon emissions continuing at their current, high trajectory, until 2100.

Dr. Telmo Morato, ATLAS principal investigator at IMAR—University

of the Azores, commented: "The model projections were clear; a significant decrease in the suitable habitat for cold-water corals and a marked shift towards higher latitudes for deep-sea fish. This adds to the increasing scientific evidence demonstrating the severe and far reaching effects of climate change. We are only beginning to understand the creatures and communities that live at the bottom of the deep ocean. If we do not take significant measures to reduce our carbon footprint, we may lose these fragile deep ocean ecosystems before we unlock their secrets."

The study focused on scleractinian and octocoral corals which are indicators of vulnerable marine ecosystems, and deep-sea fish species that are commercially important in several regions. The octocoral species were found to be under particularly high threat, with modeling projecting that loss of habitat could lead to local extinctions. The study also projected very limited climate change refugia for cold-water corals, highlighting the need for proper consideration of climate change in deep-sea regulations.

Commenting on the significance of the results, Professor J Murray Roberts, ATLAS project coordinator at the University of Edinburgh said: "We are at a major tipping point for the future of cold-water corals. In the next century, we are going to see huge areas of the Atlantic become unsuitable for cold-water coral growth. Corals are the architects of the [ocean](#) and, without them, countless other species lose their [habitat](#). Most of the changes we predict are caused by global climate change. We must do all we can to limit carbon dioxide emissions and carefully conserve those areas of the Atlantic that become climate refuges."

The study authors noted that the projected consequences for species may be worst case scenarios because the models used rely on business-as-usual projections of carbon emissions, not taking into account any potential future climate mitigation measures. However, by providing

these insights, the results emphasize the need to better understand how climate change will affect life in our oceans and highlight the importance of preserving [climate](#) refugia.

ATLAS project researchers hope that their projections will be adopted in future long-term sustainable environmental management and conservation policies at a global level, such as those relating to vulnerable marine ecosystems. These measures can form part of the response to the wider challenge of mitigating [climate change](#) and its associated effects, including dramatic changes such as those forecasted in this study.

More information: Telmo Morato et al. Climate-induced changes in the suitable habitat of cold-water corals and commercially important deep-sea fishes in the North Atlantic, *Global Change Biology* (2020). [DOI: 10.1111/gcb.14996](https://doi.org/10.1111/gcb.14996)

Provided by AquaTT

Citation: New climate model projects major impact on coral, important fish habitats (2020, February 20) retrieved 23 April 2024 from <https://phys.org/news/2020-02-climate-major-impact-coral-important.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--