


Cold sintering produces capacitor material at record low temperatures

February 26 2020, by Matthew Carroll



The dense microstructure of barium titanate as seen under a microscope. Credit: Pennsylvania State University

Barium titanate is an important electroceramic material used in trillions of capacitors each year and found in most electronics. Penn State

researchers have produced the material at record low temperatures, and the discovery could lead to more energy efficient manufacturing.

A team of Penn State scientists used the cold [sintering](#) process to densify [barium](#) titanate ceramics at less than 572 degrees Fahrenheit (300 degrees Celsius), the lowest processing temperatures ever used, while maintaining the quality achieved at higher temperatures in modern commercial manufacturing, the researchers said.

"Our work is the first example showing we can densify ferroelectric oxides in a single step," said Kosuke Tsuji, a doctoral candidate in the Department of Materials Science and Engineering at Penn State and lead author of the study. "It should open up the possibility to densify many more inorganic materials at low temperatures."

It is the first time researchers have densified barium titanate in a single step using cold sintering. Previous attempts required secondary heating to produce materials with useful dielectric properties, said the scientists, who reported their findings in the Journal of the European Ceramic Society.

Sintering is a commonly used process to compress fine powders into a solid mass of material using heat and pressure. The cold sintering process, [developed by Penn State scientists](#), accomplishes this at much lower temperatures and in shorter times than conventional sintering. The [emerging technology](#) holds the potential to reduce the costs and environmental impacts of manufacturing a wide range of materials, according to the researchers.

The researchers used new chemistries to densify barium titanate in a single step. Cold sintering involves adding a few drops of liquid to ceramic powder. Reactions between moisture, heat and pressure create denser materials compared to heating at [higher temperatures](#) without

liquid.

Previous cold sintering research used neutral or acidic solutions, but the new study incorporated hydroxide, an alkaline material. The hydroxide helped produce barium titanate with the necessary dielectric properties at lower temperatures, the scientists said.

Barium titanate is the basic compound used to produce high permittivity dielectric materials in multilayer capacitors. Of the more than 3 trillion ceramic capacitors produced each year, about 90 percent contain barium titanate.

"These devices underpin the modern electronic world," said Randall, who also serves as director of Penn State's Materials Research Institute. "The implications of applying this technology to barium [titanate](#) are enormous. In your [cell phone](#) alone, you may have 1,000 components that are all made of [barium titanate](#). It is ubiquitous to all electronics."

Lowering temperatures used in commercial manufacturing would not only be more energy efficient but could open the door to using less expensive metals and incorporating polymer composites into these capacitors, according to the researchers.

"This is very attractive to many of the leading capacitor companies, which are all working with these researchers through Penn State's Center for Dielectrics and Piezoelectrics (CDP)," Randall said.

Provided by Pennsylvania State University

Citation: Cold sintering produces capacitor material at record low temperatures (2020, February 26) retrieved 10 April 2024 from <https://phys.org/news/2020-02-cold-sintering-capacitor-material-temperatures.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.