


Creating custom light using 2-D materials

February 18 2020



Artistic view of a junction of different 2D light-emitting materials. Credit: Xavier Ravinet

Finding new semiconductor materials that emit light is essential for developing a wide range of electronic devices. But making artificial structures that emit light tailored to our specific needs is an even more attractive proposition. However, light emission in a semiconductor only occurs when certain conditions are met. Today, researchers from the University of Geneva (UNIGE), Switzerland, in collaboration with the University of Manchester, have discovered an entire class of two-dimensional materials that are the thickness of one or a few atoms. When combined together, these atomically thin crystals are capable of

forming structures that emit customizable light in the desired color. This research, published in the journal *Nature Materials*, marks an important step towards the future industrialization of two-dimensional materials.

[semiconductor materials](#) capable of emitting [light](#) are used in sectors as diverse as telecommunications, light emitting devices (LEDs) and medical diagnostics. Light emission occurs when an electron jumps inside the semiconductor from a higher energy level to a lower level. It is the difference in energy that determines the color of the emitted light. For light to be produced, the velocity of the electron before and after the jump must be exactly the same, a condition that depends on the specific semiconducting material considered. Only some semiconductors can be used for [light emission](#): for example, silicon—used to make our computers—cannot be employed for manufacturing LEDs.

"We asked ourselves whether two-dimensional materials could be used to make structures that emit light with the desired color," explains Alberto Morpurgo, a professor in the Department of Quantum Matter Physics, at the UNIGE Faculty of Science. Two-dimensional materials are perfect crystals which, like graphene, are one or a few atoms thick. Thanks to recent technical advances, different two-dimensional materials can be stacked on top of each other to form [artificial structures](#) that behave like semiconductors. The advantage of these "artificial semiconductors" is that the energy levels can be controlled by selecting the chemical composition and thickness of the materials that make up the structure.

"Artificial semiconductors of this kind were made for the first time only two or three years ago," explains Nicolas Ubrig, a researcher in the team led by professor Morpurgo. "When the two-dimensional materials have exactly the same structure and their crystals are perfectly aligned, this type of artificial semiconductor can emit light. But it's very rare." These conditions are so strict that they leave little freedom to control the light

emitted.

Custom light

"Our objective was to manage to combine different two-dimensional materials to emit light while being free from all constraints," continues professor Morpurgo. The physicists thought that, if they could find a class of materials where the velocity of the electrons before and after the change in energy level was zero, it would be an ideal scenario which would always meet the conditions for light emission, regardless of the details of the crystal lattices and their relative orientation.

A large number of known two-dimensional semiconductors have a zero-electron velocity in the relevant energy levels. Thanks to this diversity of compounds, many different materials can be combined, and each combination is a new artificial [semiconductor](#) emitting light of a specific color. "Once we had the idea, it was easy to find the materials to use to implement it," adds professor Vladimir Fal'ko from the University of Manchester. Materials that were used in the research included various transition metal dichalcogenides (such as MoS₂, MoSe₂ and WS₂) and InSe. Other possible materials have been identified and will be useful for widening the range of colors of the light emitted by these new artificial semiconductors.

Tailor-made light for mass industrialization

"The great advantage of these 2-D materials, thanks to the fact that there are no more preconditions for the emission of light, is that they provide new strategies for manipulating the light as we see fit, with the energy and color that we want to have," continues Ubrig. This means it is possible to devise future applications on an industrial level, since the emitted light is robust and there is no longer any need to worry about the alignment of atoms.

More information: Nicolas Ubrig et al. Design of van der Waals interfaces for broad-spectrum optoelectronics, *Nature Materials* (2020).
[DOI: 10.1038/s41563-019-0601-3](https://doi.org/10.1038/s41563-019-0601-3)

Provided by University of Geneva

Citation: Creating custom light using 2-D materials (2020, February 18) retrieved 2 May 2024
from <https://phys.org/news/2020-02-custom-d-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.