

# Frozen bird turns out to be 46,000-year-old horned lark

February 21 2020

---



The 46,000-year-old horned lark found in Siberia. Credit: Love Dalén

Scientists have recovered DNA from a well-preserved horned lark found

in Siberian permafrost. The results can contribute to explaining the evolution of sub species, as well as how the mammoth steppe transformed into tundra, forest and steppe biomes at the end of the last Ice Age.

In 2018, a well-preserved frozen bird was found in the ground in the Belaya Gora area of north-eastern Siberia. Researchers at the Centre for Palaeogenetics, a new research center at Stockholm University and the Swedish Museum of Natural History, have studied the bird and the results are now published in the scientific journal *Communications Biology*. The analyses reveal that the bird is a 46 000-year-old female horned lark.

"Not only can we identify the bird as a horned lark. The [genetic analysis](#) also suggests that the bird belonged to a population that was a joint ancestor of two sub [species](#) of horned lark living today, one in Siberia, and one on the steppe in Mongolia. This helps us understand how the diversity of sub species evolves," says Nicolas Dussex, researcher at the Department of Zoology at Stockholm University.

The result has significance on another level as well. During the last Ice Age, the mammoth steppe spread out over northern Europe and Asia. The steppe was home to now [extinct species](#) such as the woolly mammoth and the woolly rhinoceros. According to one theory, this ecosystem was a mosaic of habitats such as steppe, tundra and coniferous forest. At the end of the last Ice Age, the mammoth steppe was divided into the biotopes we know today—tundra in the north, taiga in the middle and steppe in the south.

"Our results support this theory since the diversification of the horned lark into these sub species seems to have happened about at the same time as the mammoth [steppe](#) disappeared," says Love Dalén, Professor at the Swedish Museum of Natural History and research leader at the

Centre for Palaeogenetics.

In the slightly longer term the researchers' ambition is to map the complete genome of the 46 000-year-old lark and compare it with the genomes from all sub species of horned larks.

"The new laboratory facilities and the intellectual environment at the Centre for Palaeogenetics will definitely be helpful in these analyses," says Love Dalén.

The researchers at the Centre for Palaeogenetics have access to plenty of samples from similar findings from the same site in Siberia, including the 18,000-year-old puppy called "Dogor" which the researchers are studying to determine if it is a wolf or a dog. Other findings include the 50,000-year-old cave lion cub "Spartak" and a partially preserved woolly mammoth.

**More information:** Nicolas Dussex et al, Biomolecular analyses reveal the age, sex and species identity of a near-intact Pleistocene bird carcass, *Communications Biology* (2020). [DOI: 10.1038/s42003-020-0806-7](https://doi.org/10.1038/s42003-020-0806-7)

Provided by Stockholm University

Citation: Frozen bird turns out to be 46,000-year-old horned lark (2020, February 21) retrieved 16 April 2024 from <https://phys.org/news/2020-02-frozen-bird-year-old-horned-lark.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--