

Gene loss more important in animal kingdom evolution than previously thought

February 25 2020



Credit: CC0 Public Domain

Scientists have shown that some key points of animal evolution—like the ones leading to humans or insects—were associated with a large loss of genes in the genome. The study, published in *Nature Ecology & Evolution*, compared over 100 genomes to investigate what happened at the gene level during the evolution of animals after their origin.

During [evolution](#), organisms can gain new genes to perform new functions, lose other genes that are not used anymore, and recycle old

ones into new functions. Previous studies have shown that the acquisition of new genes played a major role in the origin of the animal kingdom, and it is assumed that most organisms become more complex by acquiring new genes.

Dr. Jordi Paps from the University of Bristol together with Ph.D. student, Cristina Guijarro-Clarke at the University of Essex, and Professor Peter Holland from the University of Oxford, discovered that gene loss has actually been more important during the evolution of the animal kingdom than previously thought.

Animals can be split into major evolutionary lineages. One is deuterostomes: comprising humans and other vertebrates as well as sea stars or sea urchins. Another is ecdysozoans: encompassing the largest group of animals, the arthropods (insects, lobsters, spiders, millipedes), as well as other moulting animals like roundworms. These two lineages include some of the animals considered to be more complex.

However, the research team's analyses has shown that the respective last common ancestors of deuterostomes and ecdysozoans suffered unprecedented levels of gene losses, and that the increase in complexity or diversity of species is not always coupled with a rise in the number of [new genes](#).

Dr. Jordi Paps, lead author and Lecturer from Bristol's School of Biological Sciences, explained: "A larger implication is that the evolution of the animal kingdom is not driven by an increase in the number of genes, and in evolution does not invariably mean becoming more complex.

"We are planning to use the same type of approach to study how the genomes of parasitic animals, such as taenia or roundworms, lose and gain [genes](#) to see if we can find therapeutic targets to fight the diseases

caused by these parasites."

The next step for the research would be to see if this pattern is also seen in other major lineages in the tree of life, other than [animals](#).

More information: Cristina Guijarro-Clarke et al. Widespread patterns of gene loss in the evolution of the animal kingdom, *Nature Ecology & Evolution* (2020). [DOI: 10.1038/s41559-020-1129-2](https://doi.org/10.1038/s41559-020-1129-2)

Provided by University of Bristol

Citation: Gene loss more important in animal kingdom evolution than previously thought (2020, February 25) retrieved 25 April 2024 from <https://phys.org/news/2020-02-gene-loss-important-animal-kingdom.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.