

Updated shark tagging atlas provides more than 50 years of tagging and recapture data

February 3 2020



Aerial view of a blue shark circling a young dogfish. Credit: NOAA Fisheries

A 52-year database of the distribution and movements of 35 Atlantic shark species revealed new information on some of the least known species. It also uncovered a few surprises about where sharks go and how



long they live.

Scientists collected data for sharks tagged and/or recaptured between 1962 and 2013. The sharks were found in the Atlantic Ocean and associated areas, including the Gulf of Mexico, the Caribbean Sea, and the Mediterranean Sea. Participants tagged a total of 229,810 sharks of 35 species and recaptured 13,419 sharks of 31 species in that time span. The scientific journal *Marine Fisheries Review* recently published the data in Dec. 2019.

This new atlas updates an earlier version covering 1962 to 1993 and adds information on 22 species. Detailed profiles are provided for 14 shark species, including bull and tiger sharks and smooth dogfish. The updated data significantly extended their known ranges and movements.

Collaborative, Long-Running Program

The Cooperative Shark Tagging Program is the largest and longestrunning in the world. The <u>program</u> is a <u>collaborative effort</u> among recreational anglers, the commercial fishing industry, biologists, and NOAA Fisheries. Its goal is to study the life history of sharks in the Atlantic Ocean.

Initiated in 1962 by biologist and shark researcher John "Jack" Casey at the Northeast Fisheries Science Center, the original group of 74 volunteer anglers began participating in the project in 1963. Since then the program has expanded to include thousands of participants along the entire North American and European Atlantic coasts, including the Gulf of Mexico.

"The program's long-term data has shown the importance of tagging large numbers of each species and recording information in a database to determine shark movements," said Lisa Natanson, a shark researcher in



the Apex Predators Program at the Northeast Fisheries Science Center's Narragansett Laboratory in Rhode Island. For example, until the tagging program was 34 years old, no one knew that tiger sharks cross the Atlantic.

An International Effort

Anglers from 32 countries tagged sharks and persons representing 59 countries participated in returns. There are two principal types of tags: the dart or M tag, in use since 1965, and the fin or rototag, used primarily by participating biologists.

Recreational fishermen, most using rod and reel, accomplished the majority of the tagging, followed by biologists using longline and net gear. Commercial fishermen using long line and net gear returned the most tags, followed closely by anglers using rod and reel.

Blue sharks accounted for 51 percent of the tags at nearly 118,000, with sandbar sharks a distant second at just under 36,000. Just over 8,200 blue sharks and 1,471 sandbar sharks were recaptured. Of 20 tagged crocodile sharks, none were recaptured. Most species had more than 100 sharks tagged.

A blue shark also set the record for traveling the greatest distance: 3,997 nautical miles. That shark was tagged off Long Island, New York and recaptured in the South Atlantic off Africa after more than 8 years. A sandbar shark holds the record for the longest time before recapture at 27.8 years.

Thousands of Volunteer Citizen Scientists

Atlas authors Nancy Kohler and Patricia Turner worked in the center's



Apex Predators Program at the Narragansett Laboratory and are now both retired from NOAA Fisheries. They noted that the data collected through this program of citizen scientists would not have been possible for any individual, single institution or agency to accomplish.

"A collective of thousands of knowledgeable volunteer recreational and commercial fishermen accomplished this for little more than the cost of the tags, making the cost/benefit ratio for this program extremely low," according to the authors. "The Cooperative Shark Tagging program creates an enormous body of scientific data for understanding distributions and migration patterns for shark species."

The geographic distributions and movements for most shark species—particularly over large space and time scales—remain largely unknown, but these data are filling in those gaps. This information is vital for developing appropriate management strategies and determining the usefulness of conservation measures.

"Sustainable management is a dynamic process that requires the best available science," said Karyl Brewster-Geisz, a fishery management specialist with NOAA Fisheries' Office of Sustainable Fisheries. "Data from the Cooperative Shark Tagging Program, one of the oldest shark <u>data</u> sets, plays an important role in establishing management measures that provide recreational and commercial fishing opportunities while preventing overfishing."

According to the authors, "Given the fact that shark species are slow growing, long-lived, and highly mobile, with relatively low return rates for tagged <u>sharks</u>, continued tagging efforts are essential to provide this critical life history and population dynamics information."

More information: Nancy E. Kohler et al, Distributions and Movements of Atlantic Shark Species: A 52-Year Retrospective Atlas of



Mark and Recapture Data, *Marine Fisheries Review* (2020). DOI: 10.7755/MFR.81.2.1

Provided by NOAA Headquarters

Citation: Updated shark tagging atlas provides more than 50 years of tagging and recapture data (2020, February 3) retrieved 1 May 2024 from <u>https://phys.org/news/2020-02-shark-tagging-atlas-years-recapture.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.