

How state-mandated pollinator plots support native bee populations

February 27 2020, by Mollie Rappe



Hannah Levenson, a graduate student, is studying how much state-mandated pollinator plots at North Carolina research stations support native bee populations. Credit: North Carolina State University

Bees—both honey bees and less famous native bees—are critical for agriculture, especially for pollinating fruits and vegetables.

Fruits and veggies make up 6.3% of North Carolina's farm cash receipts,



including \$66 million in cucumbers, watermelon and squash, which are pollinated by native squash bees; \$57 million in blueberries, which are pollinated by native southeastern blueberry bees and bumblebees; and \$33.8 million in tomatoes, which are pollinated by bumblebees and other native bees. Other crops such as soybeans and peanuts don't require pollination by native bees or honey bees, but may benefit from it.

Hannah Levenson, a graduate student in the Department of Entomology and Plant Pathology and in the ecology and evolutionary biology group in the Department of Biology, is studying how much state-mandated pollinator plots at North Carolina research stations support native bee populations.

"North Carolina has more than 560 different species of native bees," Levenson said. "A lot of people know honey bees and bumblebees and maybe carpenter bees, but there are so many different kinds of bees. There are teeny, tiny dark sweat bees that people often mistake for flies. There are shiny, green bees. They all have different nesting requirements. They all have different flowers they prefer to go to. Doing one thing is not going to help all of the species, but planting a mix of flowers in your yard or on otherwise unusable land can support many different species."

Levenson has spent the past four years collecting and identifying bees from small plots of wildflowers planted at the 18 research stations operated by NC State and the North Carolina Department of Agriculture and Consumer Services (NCDA&CS). Because of the network of research stations, she is able to study bees in a broad array of different climates—from the mountains to the coast, and from the rich Blacklands to the dry Sandhills.

She collects bees from 15 of the 18 research stations as well as the Lake Wheeler Road University Field Lab.



So far, she has found that the flower plots, which are typically less than a half-acre, have increased the number and diversity of native bees. Thick, richly blooming plots of diverse flowers attract more bees than scraggly or withered plots.

Some scientists were concerned that the flower plots might increase the spread of bee diseases—like an elementary school classroom during cold and flu season.

Levenson says she has not found any evidence that the plots are increasing the transmission of bee diseases. She has detected various viruses and other pathogens in bees at the plots, but they do not seem to be spreading between species because of the plots. Also, plots of diverse flowers—such as those from commercial seed mixes including the American Meadows mix—support bee populations with fewer pathogens than plots with only a single type of flower, such as only sunflowers.

Last summer she started a new project to see if the pollinator plots increase the yield of nearby soybean fields. She doesn't have the results yet, but she did find 23 different species of native bees in the soybean fields.

Over the past four years, she has had to teach herself how to identify the many different species of native bees. She is sharing her knowledge with North Carolina residents in the form of a <u>bee identification guide</u>, which includes details on the size, months of peak activity and characteristics like wing veins, coloration and location of pollen-carrying hairs.

"To my knowledge this is the only project that has looked at bees on such a large scale across the whole state," Levenson said. "That's really unique and it's definitely due to the great network of research stations that exist here and the fact that they were all willing to work with me. I wouldn't have been able to do it without these research stations and the



super helpful people who work there."

She has worked with station superintendents, administrative assistants and research specialists such as Lloyd Ranson, the superintendent of the Border Belt Tobacco Research Station. Her on-<u>station</u> helpers place brightly colored cups filled with soapy water out in the flower plots one day a month during the summer, and Levenson collects and identifies the captured <u>bees</u> later.

In addition to the bee identification guide, Levenson will share the results of her research with the scientific community in the form of several academic papers. Her graduate mentor is David Tarpy, who is NC State's honey bee expert.

Provided by North Carolina State University

Citation: How state-mandated pollinator plots support native bee populations (2020, February 27) retrieved 1 May 2024 from

https://phys.org/news/2020-02-state-mandated-pollinator-plots-native-bee.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.