


Tiny, erratic protein motor movements revealed

February 14 2020



Upper panel: schematic of single-molecule imaging of dynein motion, lower panel: typical trajectory. Credit: NINS/IMS

The smallest proteins travel in our cells, completing deeply important tasks to keep our molecular mechanisms moving. They are responsible for transporting cargo, duplicating cells and more. Now, a research team based in Japan has uncovered more about how these proteins move.

They published their results on Jan. 23 in *Scientific Reports*, a *Nature* journal. Researchers hope the work on biological molecular motors, such as the kinesin and [dynein](#) proteins they study, will lead to the development of synthetic motors that could be applied to autonomous material transportation, mechanical actuation, and other energy conversion means.

"Synthetic molecular motors have great potential to realize novel functions beyond the capabilities of biological molecules," said paper author Ryota Iino, professor at the Institute for Molecular Science in the National Institutes of Natural Science. "As Richard Feynman said, 'What I cannot create, I do not understand.' We strongly believe that we need to create synthetic molecular motors to completely understand their operational and design principles."

The first step to creating synthetic molecular motors is to fully understand how biological motors move. In order to do this, Iino and his team used high-speed, highly precise imaging to track how a [single molecule](#)—specifically dynein—moves along a microtubule, which helps provide structure in [cells](#). The researchers previously used the same imaging technique to study kinesin, which was found to move with precision along a single rail of a microtubule.

However, they found the dynein moved far more erratically than kinesin.

"In contrast to the precise movement of [kinesin](#), dynein movement involves not only forward steps, but also frequent backward steps and side steps to adjacent rails," Iino said. "In other words, dynein walks like a drunk person."

Next, Iino and his team will continue to image dynein in detail, with the goal of understanding how the [protein](#) coordinates—or doesn't coordinate at all—to perform its molecular motor tasks.

"Our result indicates that linear molecular motors do not have to move precisely to achieve an important function of the cargo transport in the cell," Iino said. "It is important for us to understand both the commonality and diversity in the walking mechanism of the linear molecular motors to eventually realize motors made of synthetic molecules."

More information: Jun Ando et al, Small stepping motion of processive dynein revealed by load-free high-speed single-particle tracking, *Scientific Reports* (2020). [DOI: 10.1038/s41598-020-58070-y](https://doi.org/10.1038/s41598-020-58070-y)

Provided by National Institutes of Natural Sciences

Citation: Tiny, erratic protein motor movements revealed (2020, February 14) retrieved 19 April 2024 from <https://phys.org/news/2020-02-tiny-erratic-protein-motor-movements.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
