

## ALMA spots metamorphosing aged star

March 5 2020



ALMA image of the old star system W43A. The high velocity bipolar jets ejected from the central aged star are seen in blue, low velocity outflow is shown in green, and dusty clouds entrained by the jets are shown in orange. Credit: ALMA (ESO/NAOJ/NRAO), Tafoya et al

An international team of astronomers using the Atacama Large Millimeter/submillimeter Array (ALMA) captured the very moment



when an old star first starts to alter its environment. The star has ejected high-speed bipolar gas jets which are now colliding with the surrounding material; the age of the observed jet is estimated to be less than 60 years. These are key features to understand how the complex shapes of planetary nebulae are formed.

Sun-like <u>stars</u> evolve to puffed-up red giants in the final stage of their lives. Then, the star expels gas to form a remnant called a planetary nebula. There is a wide variety in the shapes of planetary nebulae; some are spherical, but others are bipolar or show complicated structures. Astronomers are interested in the origins of this variety, but the thick dust and gas expelled by an old star obscure the system and make it difficult to investigate the inner-workings of the process.

To tackle this problem, a team of astronomers led by Daniel Tafoya in Chalmers University of Technology, Sweden, pointed ALMA at W43A, an old star system in the constellation Aquila, the Eagle.

Thanks to ALMA's high resolution, the team obtained a very detailed view of the space around W43A. "The most notable structures are its small bipolar jets," says Tafoya, the lead author of the research paper published by the *Astrophysical Journal Letters*. The team found that the velocity of the jets is as high as 175 km per second, which is much higher than previous estimations. Based on this speed and the size of the jets, the team calculated the age of the jets to be less than a human life-span.

"Considering the youth of the jets compared to the overall lifetime of a star, it is safe to say we are witnessing the 'exact moment' that the jets have just started to shove through the surrounding gas," explains Tafoya. "When the jets carve through the surrounding material in some 60 years, a single person can watch the progress in their life."





Diffuse spherical gas was emitted from the star in the past. W43A has just started ejecting bipolar jets which entrain the surrounding material. Bright spots in radio emissions from water molecules are distributed around the interface of the jets and the diffuse gas. Credit: NAOJ



In fact, the ALMA image clearly maps the distribution of dusty clouds entrained by the jets, which is telltale evidence that it is impacting on the surroundings.

The team assumes that this entrainment is the key to form a bipolarshaped planetary nebula. In their scenario, the aged star originally ejects gas spherically and the core of the star loses its envelope. If the star has a companion, gas from the companion pours onto the core of the dying star, and a portion of this new gas forms the jets. Therefore, whether or not the old star has a companion is an important factor to determine the structure of the resulting planetary nebula.

"W43A is one of the peculiar so called "water fountain' objects," says Hiroshi Imai at Kagoshima University, Japan, a member of the team. "Some old stars show characteristic radio emissions from <u>water</u> <u>molecules</u>. We suppose that spots of these water emissions indicate the interface region between the jets and the surrounding material. We named them "water fountains," and it could be a sign that the central source is a binarity system launching a new jet."

"There are only 15 'water fountain' objects identified to date, despite the fact that more than 100 billion stars are included in our Milky Way Galaxy," explains José Francisco Gómez at Instituto de Astrofísica de Andalucía, Spain. "This is probably because the lifetime of the jets is quite short, so we are very lucky to see such rare objects."

These observation results were presented in D. Tafoya et al. "Shaping the envelope of the asymptotic giant branch star W43A with a collimated fast jet" published by the *Astrophysical Journal Letters* on February 13, 2020.

**More information:** Daniel Tafoya et al. Shaping the Envelope of the Asymptotic Giant Branch Star W43A with a Collimated Fast Jet, *The* 



## Astrophysical Journal (2020). DOI: 10.3847/2041-8213/ab70b8

## Provided by National Astronomical Observatory of Japan

Citation: ALMA spots metamorphosing aged star (2020, March 5) retrieved 1 May 2024 from <u>https://phys.org/news/2020-03-alma-metamorphosing-aged-star.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.