

## Bacteria might help other bacteria to tolerate antibiotics better

March 9 2020



Counterintuitively, the researchers observed that when the two species of bacteria coexist, their response to the antibiotic is opposite to when they are alone Image author: Letícia Galera-Laporta. Credit: Universitat Pompeu Fabra Barcelona



A new paper by the Dynamical Systems Biology lab at UPF shows that the response by bacteria to antibiotics may depend on other species of bacteria they live with,concluding that some bacteria may make others more tolerant to antibiotics. The study, which was conducted by the researchers Letícia Galera-Laporta and Jordi Garcia-Ojalvo and is published today in the journal *Science Advances*, and may affect the treatment of bacterial infections, even suggesting new strategies to combat these pathogens.

Since the discovery of penicillin almost 90 years ago, antibiotics have saved millions of lives. The required concentration of each antibiotic to eliminate a wide variety of <u>species of bacteria</u> is currently known in detail. These analyses are usually performed in cultures where each <u>species</u> of bacteria lives alone. However, infections often involve more than one species of bacteria, many of which can interact, sharing all types of chemical signals. In addition, the body contains a large number of beneficial bacteria (microbiota), with which pathogens can also coexist. Therefore, in this study, the researchers examined how communities of multiple species of bacteria respond jointly to antibiotics.

To address this question, Galera-Laporta and Garcia-Ojalvo studied how the bacteria Bacillus subtilis and Escherichia coli respond to the antibiotic ampicillin (penicillin family). Alone, E. coli is sensitive to this antibiotic—beyond a certain concentration it cannot grow—and B. subtilis is tolerant—it manages to grow. Letícia-Galera Laporta says, "Counterintuitively, we observed that when the two species of bacteria coexist, their response to the antibiotic is opposite to when they are alone. The bacteria that could survive dies, and vice versa." With the help of a mathematical model, they saw that what varies is the collective response as a result of the change in the availability of the drug for each species of bacteria in the presence of the other.



## Two bacteria coexist—and one of them takes advantage

Ampicillin inactivates certain proteins required for bacteria to manufacture their cell wall and thus prevents the latter from growing. Bacillus subtilis tolerates this antibiotic because it inactivates the antibiotic and reduces the free amount circulating in the environment. This benefits E. coli when the two species coexist, because it keeps the amount of ampicillin below the threshold needed to kill it.





Credit: Universitat Pompeu Fabra Barcelona

In contrast, E. coli is not able to inactivate the antibiotic; rather, it acts like a sponge: It retains the antibiotic for a while and then returns it to the environment. This buffer role delays the suppression of the antibiotic in the environment, and therefore harms B. subtilis by keeping the antibiotic in the environment for the period during which B. subtilis would have eliminated it had it been alone.

Most studies of this kind focus on genetic resistance to antibiotics through mutations, which is a very important aspect. "But through studies like these, we wish to show the importance of not losing sight of the fact that bacteria's survival of antibiotics can be due to other, nongenetic mechanisms," explains Jordi Garcia-Ojalvo, full professor of systems biology at the Department of Experimental and Health Sciences (DCEXS) at UPF.

The mechanisms shown in this study are not specific to the two species of bacteria and the <u>antibiotics</u> used. This finding bears out the difficulty of choosing the correct antibiotic dose in treating bacterial infections, because the available information refers to species when they are found alone. On the other hand, the study also suggests the possibility of using non-pathogenic bacteria to sensitize others that are harmful. "We must consider the microbial context in which the <u>bacteria</u> are found, in order to improve the information that enables choosing the appropriate dose of antibiotic in each case," Garcia-Ojalvo concludes.

**More information:** L. Galera-Laporta et al. Antithetic population response to antibiotics in a polybacterial community, *Science Advances* 



## (2020). DOI: 10.1126/sciadv.aaz5108

## Provided by Universitat Pompeu Fabra Barcelona

Citation: Bacteria might help other bacteria to tolerate antibiotics better (2020, March 9) retrieved 6 May 2024 from <u>https://phys.org/news/2020-03-bacteria-tolerate-antibiotics.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.