

Cover crops can benefit hot, dry soils

March 4 2020



Cover crop and winter wheat fields at the NMSU Agricultural Science Center, Clovis NM. Credit: Rajan Ghimire

The Southern High Plains of the United States have low annual rainfall. When it does rain, though, intense storms can cause severe soil erosion.



Strong winds also strip away valuable topsoil.

Enter cover crops.

Usually grown during seasons when primary crops aren't cultivated, cover crops can include legumes such as pea and hairy vetch, or grassy crops like oats and barley.

Cover crops do more than just cover fields between growing seasons. They help soils retain rainwater and reduce erosion from wind and water.

In a new study, researchers from New Mexico State University and the United States Department of Agriculture show that cover crops can increase <u>soil health</u> in a semi-arid region of New Mexico.

"There was a lot of skepticism on the effectiveness of cover cropping in the hot, dry environment of the southern High Plains," says Rajan Ghimire. Ghimire is a researcher at New Mexico State University.

"Our research shows that cover crops increased the biological health of soils in the study area within two years," says Ghimire.

To determine <u>soil</u> health, the researchers measured soil <u>carbon dioxide</u> emissions. These emissions were higher in test plots with cover crops compared to fallow plots.

Soil microbes are tiny creatures that live and breathe in healthy soil. Carbon dioxide is released from soils during plant root and soil microbial respiration. "The higher the <u>biological activity</u> is in soils, the greater the carbon dioxide emissions," says Ghimire.





Dr. Ghimire (Right) demonstrating in-field CO2, soil moisture, temperature monitoring system to a graduate student, Vesh Thapa (left). Credit: Sangu Angadi

The plots were located in Clovis, New Mexico—about 200 miles east of Albuquerque. Ghimire and colleagues tested a variety of cover crops over two growing seasons. They also tested combinations of cover crops, such as growing peas and oats together.

Plots with peas alone, and a combination of peas and canola, showed the highest soil carbon dioxide emissions during one of the study years. However, the emissions trend was not consistent in the second year,



making results difficult to interpret.

The researchers showed that the interaction of soil temperature and rainfall play a major role in determining how much carbon dioxide is emitted. Therefore, those factors influence soil health.

But unchecked soil carbon dioxide emissions can be a problem. That's because carbon dioxide is a greenhouse gas. "Soil carbon dioxide release needs to be balanced with soil carbon storage," says Ghimire. Luckily, cover crops help take that gas from the atmosphere and store it in the soil.

Cover crops increase soil carbon storage in two ways. First, their root and aboveground biomass are largely made of carbon, which will eventually decompose into soil organic matter.

They also provide housing and food for the soil microbes. These microbes, especially fungi, are associated with even more carbon storage.

Biological activity also improves soil structure, and microbes can release nutrients crops need. "These changes greatly benefit both the environment and farming," says Ghimire.





Dr. Ghimire describing the benefits of cover crops and residue cover to subsequent crops in the rotation and soil health to farmers and local stakeholders. Credit: Vesh Thapa

Microbes living in the roots of legumes can fix atmospheric nitrogen to make it available to crops. However, this activity can also increase soil <u>carbon dioxide emissions</u> when legumes are grown as cover crops.

Grassy <u>cover crops</u>, such as oat and barley, contribute well to soil carbon accumulation without the extra emissions from fixing nitrogen. But that means plants will need to get nitrogen elsewhere, and these grasses also tend to need more water than legumes.



"Finding a balance is key," says Ghimire. "Mixing grasses with legumes may help increase soil carbon and nitrogen while minimizing carbon dioxide release."

The researchers plan to continue this experiment as a long-term study.

"Cover <u>crops</u> are a great way to sequester <u>carbon</u>, reduce global warming and increase agricultural resilience," says Ghimire. "But there is still a lot to learn about cover cropping, especially in semi-arid environments."

More information: Abdelaziz Nilahyane et al, Cover crop effects on soil carbon dioxide emissions in a semiarid cropping system, *Agrosystems, Geosciences & Environment* (2020). DOI: 10.1002/agg2.20012

Provided by American Society of Agronomy

Citation: Cover crops can benefit hot, dry soils (2020, March 4) retrieved 2 May 2024 from <u>https://phys.org/news/2020-03-crops-benefit-hot-soils.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.