

# Dark excitons can make a high contribution to light emission from nanotubes

March 6 2020

---




Figure 1: Schematic drawing showing a dark exciton converting into a bright exciton before emitting light. Three RIKEN physicists have shown that the conversion rate of this process is higher in longer nanotubes. Credit: A. Ishii et al. [CC BY 4.0](#) © 2019

Tailoring the dimensions and other attributes of carbon nanotubes can substantially boost the amount of light they emit, three physicists at RIKEN have discovered. This finding promises to lead to the development of highly efficient photonic devices.

Carbon nanotubes are tiny cylinders that are just a nanometer to a few nanometers in diameter but can be up to several micrometers in length.

Their excellent electronic and [mechanical properties](#) make them attractive for use in energy-efficient devices. In particular, a defect in the otherwise pure atomic carbon structures of nanotubes can emit single photons of light—a vital component for many nanoscale devices that are needed for quantum computation and communications.

In a typical light-emitting device, [laser light](#) or an [electric field](#) creates pairs of electrons and holes known as excitons. Sometime later, the electron and hole recombine and the [exciton](#) annihilates. Depending on the symmetry of the exciton, annihilation can result in the emission of light or not.

About half of the created excitons are bright, while the other half are dark and recombine without emitting light. Some dark excitons can become bright excitons and then emit light on annihilation. But carbon nanotubes tend to have low light-emitting efficiencies, mainly because dark excitons often recombine before they can turn into bright excitons.

Now, Yuichiro Kato and two colleagues, all at the RIKEN Nanoscale Quantum Photonics Laboratory, have discovered that by tailoring the specifications of the nanotubes more than half of the dark excitons can be converted into bright ones, thereby greatly enhancing the light output of the nanotubes (Fig. 1).

The researchers performed time-resolved luminescence measurements on a range of carbon nanotubes. By fitting the time-resolved luminescence traces with a model, they found that the conversion rate between dark and bright excitons depends on the length, diameter and chirality of the nanotubes. The three researchers estimated that in longer nanotubes, the conversion rate of dark to bright excitons was so high that more than half of the dark excitons contributed to the total luminescence.

"These findings show that dark excitons can significantly affect the emission kinetics in low-dimensional materials such as [nanotubes](#)," says Kato. "They thus point to the potential of using surface interactions to engineer the dark-to-bright conversion process."

The team now intends to explore the potential of harnessing this effect. "We are interested in using this efficient conversion process to achieve [carbon-nanotube](#) single-photon emitters that have better performance," says Kato.

**More information:** A. Ishii et al. High Efficiency Dark-to-Bright Exciton Conversion in Carbon Nanotubes, *Physical Review X* (2019). [DOI: 10.1103/PhysRevX.9.041048](https://doi.org/10.1103/PhysRevX.9.041048)

Provided by RIKEN

Citation: Dark excitons can make a high contribution to light emission from nanotubes (2020, March 6) retrieved 3 May 2024 from <https://phys.org/news/2020-03-dark-excitons-high-contribution-emission.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--