

## Light to electricity: New multi-material solar cells set new efficiency standard

March 5 2020



Left to right: Postdoctoral fellows Erkan Aydin (KAUST), Yi Hou (University of Toronto) and Michele De Bastiani (KAUST) are part of an international team that has designed a new type of tandem solar cell. The device combines industry standard silicon manufacturing with new perovskite technology. Credit: KAUST

Researchers from the University of Toronto Engineering and King Abdullah University of Science and Technology (KAUST) have



overcome a key obstacle in combining the emerging solar-harvesting technology of perovskites with the commercial gold standard—silicon solar cells. The result is a highly efficient and stable tandem solar cell, one of the best-performing reported to date.

"Today, <u>silicon</u> solar cells are more efficient and less costly than ever before," says Professor Ted Sargent, senior author on a new paper published today in *Science*. "But there are limits to how efficient silicon can be on its own. We're focused on overcoming these limits using a tandem (two-layer) approach."

Like silicon, <u>perovskite crystals</u> can absorb <u>solar energy</u> to excite electrons that can be channeled into a circuit. But unlike silicon, perovskites can be mixed with liquid to create a 'solar ink' that can be printed on surfaces.

The ink-based manufacturing approach—known as solution processing—is already well-established in the <u>printing industry</u>, and therefore has the potential to lower the cost of making solar cells.

"Adding a layer of <u>perovskite</u> crystals on top of textured silicon to create a tandem solar cell is a great way to enhance its performance," says Yi Hou, postdoctoral fellow and lead author of the new paper. "But the current industry standard is based on wafers—thin sheets of crystalline silicon—that were not designed with this approach in mind."

Though they may look smooth, standard silicon wafers used for solar cells feature tiny pyramidal structures about two micrometres high. The uneven surface minimizes the amount of light that reflects off the surface of the silicon and increases overall efficiency, but also makes it difficult to coat a uniform layer of perovskites on top.

"Most previous tandem cells have been made by first polishing the



silicon surface to make it smooth, and then adding the perovskite layer," says Hou. "That works, but at additional costs."

Hou and the rest of the team—including Sargent and KAUST Professor Stefaan De Wolf—took a different approach. They increased the thickness of the perovskite layer, making it high enough to cover both the peaks and the valleys created by the pyramidal structures.

The team discovered that the perovskites in the valleys generated an electrical field that separates the electrons generated in the perovskite layer from those generated in the silicon layer. This type of charge separation is beneficial because it increases the chances that excited charges will flow into the circuit rather than other parts of the cell.

The team further enhanced charge separation by coating the perovskite crystals in a 'passivation layer' made of 1-butanethiol, a common industrial chemical.

The tandem solar <u>cells</u> achieved an efficiency of 25.7 per cent, as certified by an independent, external laboratory, the Fraunhofer Institute for Solar Energy in Freiburg, Germany. This is among the highest efficiencies ever reported for this type of design. They were also stable, withstanding temperatures of up to 85 degrees Celsius for more than 400 hours without a significant loss of performance.

"The fact that we can do all this without modifying the silicon makes it a drop-in solution," says Hou. "Industry can apply this without having to make costly changes to their existing processes."

Hou and the team are continuing to work on improvements to the design, including increasing stability up to 1,000 hours, one industry benchmark.

"We're very proud of the record-setting performance this collaboration



was able to achieve, but this is just the beginning," says Hou. "By overcoming a key limitation in tandem <u>solar cells</u>, we've set the stage for even larger gains."

"Our approach opens a door for the silicon-photovoltaic industry to fully exploit the great advances perovskite technology has made so far," says De Wolf. "This can bring photovoltaic panels with higher performance at low cost to market."

**More information:** "Triple-halide wide–band gap perovskites with suppressed phase segregation for efficient tandems" *Science* (2020). <u>science.sciencemag.org/cgi/doi ... 1126/science.aaz5074</u>

Provided by University of Toronto

Citation: Light to electricity: New multi-material solar cells set new efficiency standard (2020, March 5) retrieved 5 May 2024 from <u>https://phys.org/news/2020-03-electricity-multi-material-solar-cells-efficiency.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.