

# Fermentable sugars offer a sustainable alternative to nonrenewable resources

March 11 2020, by Li Yuan




Fig.1: Schematic representation of future improvements for the CBS strategy.  
Credit: LIU Yajun

Fuel, animal feed, other major carbon-rich products could have a sustainable replacement with the help of a new approach to processing a plant biomass material produced naturally by plants during photosynthesis. Called lignocellulose, it comprises half of dry plant matter.

Researchers published a review of the work and current status on Feb. 24 in *Biotechnology Advances*.

"Lignocellulosic biomass is the most abundant sustainable carbon source

on the planet and has enormous potential to substitute fossil resources on the premise of cost-effective conversion," said Liu Yajun, paper author and researcher from the Qingdao Institute of Bioenergy and Bioprocess Technology (QIBEBT) of the Chinese Academy of Sciences.

"Lignocellulosic residues, especially the agricultural lignocellulosic wastes, represent one of the best substitutes of fossil resources because of its low price, high availability and wide distribution."

The estimated annual world output of [lignocellulosic biomass](#) is more than 200 billion tons, providing an extensive, renewable resource—if it can be converted into a useful form.

"Lignocellulosic biomass is recalcitrant and difficult to deconstruct," Liu said.

The main component of [lignocellulose](#) is cellulose, the tough material responsible for the strong structure of plant cell walls. Lignocellulose bioconversion to biofuels and biochemicals is possible, but, according to the Liu, the cost and efficiency of the enzymes used to initiate the conversion is a concern.

Previously proposed conversion methods involve separately producing enzymes, breaking down the lignocellulose, and then fermenting the resulting sugar or doing both simultaneously. The new method proposed by Liu and his team is called consolidated bio-saccharification, during which whole-cell biocatalysts are employed for lignocellulose deconstruction processing and the [fermentation process](#) is entirely separated.

Known as consolidated bio-saccharification, or CBS, this strategy aims for a final product of fermentable sugars, rather than end products such as biofuel. The produced sugars can then be used as the platform chemical in fermentation for later processes that produce biofuel or

other biochemicals.

"CBS is considered promising to lead lignocellulose bioconversion into the real world because it shows tremendous advantages in reducing enzyme production costs and streamlining operational processes," LIU said. "However, as a newly developed technology, CBS still needs improvement and innovation of existing processes and instruments to make breakthroughs in the [real world](#)."

Liu and her team are currently piloting a demonstration of CBS, intending to provide further evidence of the method's industrial applications and scalability.

**More information:** Ya-Jun Liu et al. Consolidated bio-saccharification: Leading lignocellulose bioconversion into the real world, *Biotechnology Advances* (2020). [DOI: 10.1016/j.biotechadv.2020.107535](#)

Provided by Chinese Academy of Sciences

Citation: Fermentable sugars offer a sustainable alternative to nonrenewable resources (2020, March 11) retrieved 22 June 2024 from <https://phys.org/news/2020-03-fermentable-sugars-sustainable-alternative-nonrenewable.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.