


A filter for cleaner qubits

March 6 2020




Schematic of a Josephson quantum filter (JQF). The data qubit (DQ) to be protected and the JQF are directly coupled to a semi-infinite waveguide, through which control pulses for the DQ are applied. Credit: Tokyo Medical and Dental University

A research team at the Tokyo Medical and Dental University (TMDU), RIKEN, and the University of Tokyo have demonstrated how to increase the lifetime of qubits inside quantum computers by using an additional "filter" qubit. This work may help make higher fidelity quantum computers that can be used in financial, cryptographic, and chemistry applications.

Quantum computers are poised to make a large impact in a variety of fields, from internet security to drug development. Instead of being limited to binary 0s and 1s of classical computers, the qubits in quantum computers can take on values that are arbitrary superpositions of the two. This allows quantum computers the potential to solve certain problems, like cracking cryptographic ciphers, much faster than current machines.

However, there is a fundamental tradeoff between the lifetime of the [qubit](#) superpositions and the processing speed. This is because the qubits must be carefully shielded from interacting with the environment, or the fragile superposition will snap back to being just a one or zero in a process called decoherence. To delay this loss of quantum fidelity, qubits in quantum computers are coupled only weakly to the control line through which the qubit control pulses are applied. Unfortunately, such a weak coupling limits the speed that computations can be run.

Now, the team at the Tokyo Medical and Dental University (TMDU) theoretically show how coupling a second "filter" qubit to the control line can greatly reduce the noise and spontaneous radiative losses that lead to decoherence. This allows the connections to be strong, which lends itself to faster cycle times.



Time evolution of the excitation probabilities of the data qubit under successive application of pi-pulses. The red solid (blue dotted) line shows the results with (without) the JQF. Credit: Tokyo Medical and Dental University

"In our solution, the filter qubit acts like a nonlinear mirror, which completely reflects radiation from the qubit due to [destructive interference](#) but transmits strong control pulses due to absorption saturation," says first author Kazuki Koshino.

This research helps bring about a future in which quantum computers can be found in every business and research lab. Many operational research firms would like to use quantum computers to solve [optimization problems](#) that were considered too intensive for conventional computers, while chemists would like to use them to simulate the motion of atoms inside molecules.

"Quantum computers are improved day by day by companies including IBM and Google. As they become faster and more robust, they can be even more widespread," says senior author Yasunobu Nakamura.

More information: Kazuki Koshino et al, Protection of a Qubit via Subradiance: A Josephson Quantum Filter, *Physical Review Applied* (2020). [DOI: 10.1103/PhysRevApplied.13.014051](https://doi.org/10.1103/PhysRevApplied.13.014051)

Provided by Tokyo Medical and Dental University

Citation: A filter for cleaner qubits (2020, March 6) retrieved 19 April 2024 from <https://phys.org/news/2020-03-filter-cleaner-qubits.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.