

Noises from human activity may threaten New England's freshwater soundscape

March 18 2020



Rountree in the field; Average day-time soundscape composition. Credit:
Rountree et al (2020)

Sounds produced by human activities—anthropogenic sounds—account for more than 90 percent of the underwater soundscape in major freshwater habitats of New England. Rodney Rountree of The Fish Listener in Massachusetts, and Adjunct Associate Professor at the University of Victoria, and colleagues present these findings in the open-access journal *PLOS ONE* on March 18, 2020.

Many organisms use sound to communicate or take cues from sounds in their ecosystem, including sounds produced by other organisms. For researchers, biological sounds can also serve as fingerprints of different species and behaviors. Anthropogenic sounds, such as those produced by boats, disrupt biological soundscapes. However, a lack of data on natural soundscapes hampers assessment of such threats in [freshwater ecosystems](#).

To improve understanding of freshwater soundscapes, Rountree and colleagues recorded 2,750 minutes of underwater sounds in 173 locations across lakes, ponds, rivers, and streams representing five major river systems in New England. The scientists identified over 7,000 distinct sounds, which they categorized as anthropogenic, biological, or unknown in origin.

Most of the biological sounds recorded were from unknown sources but had acoustic features marking them as biological. The study was the first to document widespread occurrence of noises associated with movement of air within or released from fishes' bodies such as farts, burps and coughs.

The researchers identified anthropogenic sources—such as boats, planes, and fishing activities, —as accounting for over 90 percent of the recorded sounds. They noted that areas with higher overall sound levels had a lower number and diversity of biological sounds, and that the timing and acoustic features of anthropogenic sounds often overlapped

those of the biological sounds.

Together, these findings suggest the potential for anthropogenic sounds to negatively impact freshwater soundscapes. Further research will be needed to identify the still-unknown components of the freshwater biological soundscape, and to fully assess [anthropogenic](#) threats.

Lead author Rountree says: "We are amazed by the widespread occurrence of sounds in different freshwater habitats including unexpectedly abundant fish farts, burps and coughs. We also found that human-caused noise dominates the freshwater soundscape, which may have detrimental impacts on animals that have evolved in otherwise relative quiet environments."

Co-author Francis Juanes adds: "Identifying biological and human-made sounds is a powerful way to study aquatic ecosystems and has important applications in conservation, [fisheries management](#), and [invasive species monitoring](#)."

Finally, co-author Marta Bolgan notes: "I think this study represents an important call to action for increasing our understanding of freshwater soundscapes' composition and dynamics and for starting to fill the knowledge and legislative gaps regarding man-made noise monitoring and management in inland waters."

More information: Rodney A. Rountree et al, Temperate freshwater soundscapes: A cacophony of undescribed biological sounds now threatened by anthropogenic noise, *PLOS ONE* (2020). [DOI: 10.1371/journal.pone.0221842](https://doi.org/10.1371/journal.pone.0221842)

Provided by Public Library of Science

Citation: Noises from human activity may threaten New England's freshwater soundscape (2020, March 18) retrieved 23 April 2024 from <https://phys.org/news/2020-03-noises-human-threaten-england-freshwater.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.