


Puzzle about nitrogen solved thanks to cometary analogs

March 13 2020




Gas and dust rise from “Chury’s” surface as the comet approaches the point of its orbit closest to the sun. Credit: ESA/Rosetta/NAVCAM

One of the basic building blocks of life is nitrogen. An international consortium was able to detect ammonium salt containing nitrogen on the cometary surface of Chury thanks to a method using analogs for comet material. The method on which the study on the detection of ammonium salt is based was developed at the University of Bern.

Comets and asteroids are objects in our solar system that have not developed much since the planets were formed. As a result, they are in a sense the archives of the solar system, and determining their composition could also contribute to a better understanding of the formation of the planets.


One way to determine the composition of asteroids and comets is to study the sunlight reflected by them, since the materials on their surface absorb sunlight at certain wavelengths. We talk about a comet's spectrum, which has certain absorption features. VIRTIS (Visible, InfraRed and Thermal Imaging Spectrometer) on board the European Space Agency's (ESA) Rosetta space probe mapped the surface of comet 67P/Churyumov-Gerasimenko, known as Chury for short, from August 2014 to May 2015. The data gathered by VIRTIS showed that the cometary surface is uniform almost everywhere in terms of composition: The surface is very dark and slightly red in color, because of a mixture of complex, carbonaceous compounds and opaque minerals. However, the exact nature of the compounds responsible for the measured absorption features on Chury has been difficult to establish until now.



Comet 67P



**Artificial comet
with ammonium salts**



Comparison of the spectrum of the artificial comet containing ammonium salt (in red) with the spectrum of the surface of the comet "Chury" (in black). The core of the comet is about 4 km long. Credit: (top left image)


ESA/Rosetta/NAVCAM - CC BY-SA IGO 3.0

<http://creativecommons.org/licenses/by-sa/3.0/igo/>). The artificial comet is produced in the laboratory in a 5 cm diameter container (bottom left image) Poch et al., 2020).

Cometary analogue provided the solution to the puzzle

To identify which compounds are responsible for the absorption features, researchers led by Olivier Poch from the Institute of Planetology and Astrophysics at the Université de Grenoble Alpes carried out laboratory experiments in which they created cometary analogues and simulated conditions similar to those in space. Poch had developed the method together with researchers from Bern when he was still working at the University of Bern Physics Institute. The researchers tested various potential compounds on the cometary analogues and measured their spectra, just as the VIRTIS instrument on board Rosetta had done with Chury's [surface](#). The experiments showed that ammonium salts explain specific features in the spectrum of Chury.

Antoine Pommerol from the University of Bern Physics Institute is one of the co-authors of the study, which is now published in *Science*. He explains: "While Olivier Poch was working at the University of Bern, we jointly developed methods and procedures to create replicas of the surfaces of cometary nuclei." The surfaces were altered by sublimating the ice on them under simulated space conditions. "These realistic laboratory simulations allow us to compare laboratory results and data recorded by the instruments on Rosetta or other comet missions. The new study builds on these methods to explain the strongest spectral feature observed by the VIRTIS spectrometer with Chury," Pommerol continues. Nicolas Thomas, Director of the University of Bern Physics Institute and also co-author of the study, says: "Our laboratory in Bern offers the ideal opportunities to test ideas and theories with experiments that have been formulated on the basis of data gathered by instruments on space missions. This ensures that the interpretations of the data are really plausible."



Recipe to produce an artificial cometary surface in the laboratory. Ice-dust particles are put under vacuum and low temperature. Ice sublimates, leaving a porous dust layer on the surface. Credit: Poch et al. Science (2020)

Vital building block "hides" in ammonium salts

The results are identical to those from the Bern mass spectrometer ROSINA, which had also gathered data on Chury on board Rosetta. A study published in *Nature Astronomy* in February under the leadership of astrophysicist Kathrin Altwegg was the first to detect nitrogen, one of the basic building blocks of life, in the nebulous covering of comets. It

had "hidden" itself in the nebulous covering of Chury in the form of ammonium salts, the occurrence of which could not be measured until now.

Although the exact amount of salt is still difficult to estimate from the available data, it is likely that these ammonium salts contain most of the nitrogen present in the Chury comet. According to the researchers, the results also contribute to a better understanding of the evolution of nitrogen in interstellar space and its role in prebiotic chemistry.

More information: Olivier Poch et al. Ammonium salts are a reservoir of nitrogen on a cometary nucleus and possibly on some asteroids, *Science* (2020). [DOI: 10.1126/science.aaw7462](https://doi.org/10.1126/science.aaw7462)

Provided by University of Bern

Citation: Puzzle about nitrogen solved thanks to cometary analogs (2020, March 13) retrieved 3 May 2024 from <https://phys.org/news/2020-03-puzzle-nitrogen-cometary-analogs.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--