

Space weather model gives earlier warning of satellite-killing radiation storms

March 2 2020





Overview of electron observations (top) and predictions made by PreMevE 2.0. All panels present for the same 1289-day interval starting from 2013/02/20. Credit: Los Alamos National Laboratory

A new machine-learning computer model accurately predicts damaging radiation storms caused by the Van Allen belts two days prior to the storm, the most advanced notice to date, according to a new paper in the journal *Space Weather*.

"Radiation storms from the Van Allen belts can damage or even knock out satellites orbiting in medium and high altitudes above the Earth, but predicting these storms has always been a challenge," said Yue Chen, a space scientist at Los Alamos National Laboratory and principal investigator on the project jointly funded by NASA and NOAA. "Given that the Van Allen Probes, which provided important data about space weather, recently de-orbited, we no longer have direct measurements about what's happening in the outer electron radiation belt. Our new <u>model</u> uses existing data sets to 'learn' patterns and predict future storms so satellite operators can take protective measures, including temporarily shutting down part of or even the whole satellite to avoid damage."

This predictive model for megaelectron-volt (MeV) electrons inside the Earth's outer Van Allen belt builds on a previous model that successfully predicted radiation storms one day in advance. This new model, called PreMevE 2.0, improves forecasts by incorporating upstream solar wind speeds. It predicts future events by training on existing <u>data sets</u> from NOAA and Los Alamos satellites to learn important patterns of electron behavior.

"With the expectation that similar patterns may reveal themselves in the



future, our model is capable of making predictions by capturing some critical signatures as a precursor to those future events," explained Youzuo Lin, a computational scientist at Los Alamos who developed the machine-learning algorithms for the model.

"By testing the model with multiple machine-learning algorithms, this work confirms the predictability of MeV electrons, as well as the robustness of using low-Earth-orbit electron observations to drive predictions," added Chen. "In addition, the framework set up in this work allows us to easily include more input parameters to predict more energetic electrons in the next step."

The machine learning framework developed for PreMevE 2.0 can also be applied to many broad applications that use time-related measurements, such as capturing earthquake patterns among large volumes of seismic time-series data, enabling detection of small earthquakes out of the noisy environments.

More information: Rafael Pires de Lima et al, Forecasting Megaelectron-Volt Electrons Inside Earth's Outer Radiation Belt: PreMevE 2.0 Based on Supervised Machine Learning Algorithms, *Space Weather* (2020). DOI: 10.1029/2019SW002399

Provided by Los Alamos National Laboratory

Citation: Space weather model gives earlier warning of satellite-killing radiation storms (2020, March 2) retrieved 15 May 2024 from <u>https://phys.org/news/2020-03-space-weather-earlier-satellite-killing-storms.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.