


# Tiny double accelerator recycles energy

March 20 2020

---



Proof of concept for cascaded terahertz accelerator using long pulses. The mini-accelerator uses terahertz radiation that can be recycled for a second stage of acceleration. Credit: DESY, Science Communication Lab

A team of DESY scientists has built a miniature double particle

accelerator that can recycle some of the laser energy fed into the system to boost the energy of the accelerated electrons a second time. The device uses narrowband terahertz radiation which lies between infrared and radio frequencies in the electromagnetic spectrum, and a single accelerating tube is just 1.5 centimetres long and 0.79 millimetres in diameter. Dongfang Zhang and his colleagues from the Center for Free-Electron laser Science (CFEL) at DESY present their experimental accelerator in the journal *Physical Review X*.

The miniature size of the device is possible due to the short wavelength of [terahertz](#) radiation. "Terahertz-based accelerators have emerged as promising candidates for next-generation compact electron sources," explains Franz Kärtner, Lead Scientist at DESY and head of the CFEL group that built the device. Scientists have successfully experimented with terahertz accelerators before, which could enable applications where large particle accelerators are just not feasible or necessary. "However, the technique is still in an early stage, and the performance of experimental terahertz accelerators has been limited by the relatively short section of interaction between the [terahertz pulse](#) and the electrons," says Kärtner.

For the new device, the team used a longer [pulse](#) comprising many cycles of terahertz waves. This multicycle pulse significantly extends the interaction section with the particles. "We feed the multicycle terahertz pulse into a waveguide that is lined with a dielectric material", says Zhang. Within the waveguide, the pulse's speed is reduced. A bunch of electrons is shot into the central part of the waveguide just in time to travel along with the pulse. "This scheme increases the interaction region between the terahertz pulse and the electron bunch to the centimetre range—compared to a few millimetres in earlier experiments," reports Zhang.

The device did not produce a large acceleration in the lab. However, the

team could prove the concept by showing that the electrons gain energy in the waveguide. "It is a proof of concept. The electrons' energy increased from 55 to about 56.5 kilo electron volts," says Zhang. "A stronger acceleration can be achieved by using a stronger laser to generate the terahertz pulses."

The set-up is mainly designed for the non-relativistic regime, meaning the electrons have speeds that are not so close to the speed of light. Interestingly, this regime enables a recycling of the terahertz pulse for a second stage of acceleration. "Once the terahertz pulse leaves the waveguide and enters the vacuum, its speed is reset to the speed of light," explains Zhang. "This means, the pulse overtakes the slower electron bunch in a couple of centimetres. We placed a second waveguide at just the right distance that the electrons enter it together with the terahertz pulse which is again slowed down by the waveguide. In this way, we generate a second interaction section, boosting the electrons' energies further."

In the lab experiment, only a small fraction of the terahertz pulse could be recycled this way. But the experiment shows that recycling is possible in principle, and Zhang is confident that the recycled fraction can be substantially increased. Nicholas Mattlis, senior scientist and the team leader of the project in the CFEL group, emphasises: "Our cascading scheme will greatly lower the demand on the required laser system for electron acceleration in the non-relativistic regime, opening new possibilities for the design of terahertz-based accelerators."

**More information:** Dongfang Zhang et al, Cascaded Multicycle Terahertz-Driven Ultrafast Electron Acceleration and Manipulation, *Physical Review X* (2020). [DOI: 10.1103/PhysRevX.10.011067](https://doi.org/10.1103/PhysRevX.10.011067)

Provided by Deutsches Elektronen-Synchrotron

Citation: Tiny double accelerator recycles energy (2020, March 20) retrieved 12 September 2024  
from <https://phys.org/news/2020-03-tiny-recycles-energy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.