

After 90 years, scientists reveal the structure of benzene

March 5 2020



DVMS structures for benzene. a Voronoi site for the RHF/6-31G(d) wavefunction. The electron positions of an arbitrary spin are shown as small yellow spheres. b Cross sections through the wavefunction around the Voronoi site in a C–C bonding electrons are shown as blue lobes. C–H bonds are shown in grey. c. Voronoi site showing staggered spins. The electron positions of each spin are respectively shown as small yellow and green spheres. d. Cross sections around the Voronoi site in c. The two spins of the C–C bonding electrons are shown in grey. Credit: *Nature Communications* (2020). DOI: 10.1038/s41467-020-15039-9



One of the fundamental mysteries of chemistry has been solved by a collaboration between Exciton Science, UNSW and CSIRO – and the result may have implications for future designs of solar cells, organic light-emitting diodes and other next gen technologies.

Ever since the 1930s debate has raged inside chemistry circles concerning the fundamental electronic structure of benzene. It is a debate that in recent years has taken on added urgency, because benzene – which comprises six carbon atoms matched with six hydrogen atoms – is the fundamental building-block of many opto-electronic materials, which are revolutionising renewable energy and telecommunications tech.

The flat hexagonal ring is also a component of DNA, proteins, wood and petroleum.

The controversy around the structure of the molecule arises because although it has few atomic components the electrons exist in a state comprising not just four dimensions – like our everyday "big" world – but 126.

Analysing a system that complex has until now proved impossible, meaning that the precise behaviour of benzene electrons could not be discovered. And that represented a problem, because without that information, the stability of the molecule in tech applications could never be wholly understood.

Now, however, scientists led by Timothy Schmidt from the ARC Centre of Excellence in Exciton Science and UNSW Sydney have succeeded in unravelling the mystery – and the results came as a surprise. They have now been published in the journal *Nature Communications*.





An image of how the 126-dimensional wave function tile is cross-sectioned into our 3-dimensions 42 times, once for each electron. This shows the domain of each electron, in that tile. Credit: UNSW Sydney

Professor Schmidt, with colleagues from UNSW and CSIRO's Data61, applied a complex algorithm-based method called dynamic Voronoi Metropolis sampling (DVMS) to benzene molecules in order to map their wavefunctions across all 126 dimensions.

Key to unravelling the complex problem was a new mathematical algorithm developed by co-author Dr Phil Kilby from CSIRO's Data61. The algorithm allows the scientist to partition the dimensional space into



equivalent "tiles", each corresponding to a permutation of electron positions.

Of particular interest to the scientists was understanding the "spin" of the electrons. All electrons have spin – it is the property that produces magnetism, among other fundamental forces – but how they interact with each other is at the base of a wide range of technologies, from light-emitting diodes to quantum computing.

"What we found was very surprising," said Professor Schmidt. "The electrons with what's known as up-spin double- bonded, where those with down-spin single-bonded, and vice versa.

"That isn't how chemists think about benzene. Essentially it reduces the energy of the molecule, making it more stable, by getting electrons, which repel each other, out of each other's way."

Co-author Phil Kilby from Data61 added: "Although developed for this chemistry context, the algorithm we developed, for 'matching with constraints' can also be applied to a wide variety of areas, from staff rostering to kidney exchange programs."

More information: Yu Liu et al. The electronic structure of benzene from a tiling of the correlated 126-dimensional wavefunction, *Nature Communications* (2020). DOI: 10.1038/s41467-020-15039-9

Provided by ARC Centre of Excellence in Exciton Science

Citation: After 90 years, scientists reveal the structure of benzene (2020, March 5) retrieved 2 May 2024 from <u>https://phys.org/news/2020-03-years-scientists-reveal-benzene.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.