

While we fixate on coronavirus, Earth is hurtling towards a catastrophe worse than the dinosaur extinction

April 3 2020, by Andrew Glikson



Credit: Pixabay

At several points in the history of our planet, increasing amounts of carbon dioxide in the atmosphere have caused extreme global warming, prompting <u>the majority of species</u> on Earth to die out.

In the past, these events were triggered by a huge <u>volcanic eruption</u> or asteroid impact. Now, Earth is heading for another mass extinction—and



human activity is to blame.

I am an Earth and Paleo-climate scientist and <u>have researched</u> the relationships between asteroid impacts, volcanism, climate changes and mass extinctions of species.

My research suggests the current growth rate of <u>carbon</u> dioxide emissions is faster than those which triggered two previous mass extinctions, including the event that wiped out the dinosaurs.

The world's gaze may be focused on COVID-19 right now. But the risks to nature from human-made global warming—and the imperative to act—remain clear.

Past mass extinctions


Many species can adapt to slow, or even moderate, environmental changes. But Earth's history shows that extreme shifts in the climate can cause many species to <u>become extinct</u>.

For example, about 66 million years ago an asteroid hit Earth. The subsequent smashed rocks and widespread fires released massive amounts of carbon dioxide over <u>about 10,000 years</u>. Global temperatures soared, sea levels rose and oceans became acidic. About <u>80% of species</u>, including the dinosaurs, were wiped out.



A monumental surge in emissions

CO2 equivalent mixing ratio (parts per million) versus Annual Greenhouse Gas Index, global, 1700 to 2020.



Credit: The Conversation

And about 55 million years ago, <u>global temperatures</u> spiked again, over <u>100,000 years or so</u>. The cause of this event, known as the <u>Paleocene-Eocene Thermal Maximum</u>, is not entirely clear. One theory, known as the <u>"methane burp" hypothesis</u>, posits that a massive volcanic eruption triggered the sudden release of methane from ocean sediments, making



oceans more acidic and killing off many species.

So is life on Earth now headed for the same fate?

Comparing greenhouse gas levels

Before industrial times began at the end of the 18th century, carbon dioxide in the atmosphere sat at around <u>300 parts per million</u>. This means that for every one million molecules of gas in the atmosphere, 300 were carbon dioxide.

In February this year, <u>atmospheric carbon dioxide</u> reached <u>414.1 parts</u> <u>per million</u>. Total greenhouse gas level—carbon dioxide, methane and nitrous oxide combined—reached almost <u>500 parts per million of carbon</u> <u>dioxide-equivalent</u>

Carbon dioxide is now pouring into the atmosphere at a rate of <u>two to</u> <u>three parts per million each year</u>.

Using carbon records stored in fossils and organic matter, I have determined that current carbon emissions constitute an extreme event in the recorded history of Earth.

My research has demonstrated that annual carbon dioxide emissions are now faster than after both the asteroid impact that eradicated the dinosaurs (about 0.18 parts per million CO_2 per year), and the thermal maximum 55 million years ago (about 0.11 parts per million CO_2 per year).





Credit: AI-generated image (disclaimer)

The next mass extinction has begun

Current atmospheric concentrations of carbon dioxide are not yet at the levels seen 55 million and 65 million years ago. But the massive influx of carbon dioxide means the climate is changing faster than many plant and animal species <u>can adapt</u>.

<u>A major United Nations report</u> released last year warned around one million animal and plant species were threatened with extinction. Climate change was listed as one of five key drivers.

The report said the distributions of 47% of land-based flightless mammals, and almost 25% of threatened birds, may already have been negatively affected by <u>climate change</u>.




Many researchers fear the climate system is approaching a <u>tipping point</u> - a threshold beyond which rapid and irreversible changes will occur. This will create a cascade of <u>devastating effects</u>.

There are already signs tipping points have been reached. For example, <u>rising Arctic temperatures</u> have led to <u>major ice melt</u>, and weakened the <u>Arctic jet stream</u> – a powerful band of westerly winds.

This allows north-moving warm air to cross the polar boundary, and cold fronts emanating from the poles to <u>intrude south into Siberia, Europe</u> and Canada.

A shift in climate zones is also causing the tropics to expand and migrate toward the poles, at a rate of about 56 to 111 kilometres per decade. The tracks of tropical and extra-tropical cyclones are likewise shifting toward the poles. Australia is highly vulnerable to this shift.





A diagram showing the weakening Arctic jet stream, and subsequent movements of warm and cold air. Credit: NASA

Uncharted future climate territory

<u>Research</u> released in 2016 showed just what a massive impact humans are having on the planet. It said while the Earth might naturally have entered the next ice age in about 20,000 years' time, the heating produced by carbon <u>dioxide</u> would result in a period of super-<u>tropical</u> <u>conditions</u>, delaying the next ice age to about 50,000 years from now.



During this period, chaotic <u>high-energy stormy conditions</u> would prevail over much of the Earth. <u>My research suggests</u> humans are likely to survive best in sub-polar regions and sheltered <u>mountain valleys</u>, where cooler conditions would allow flora and fauna to persist.

Earth's next <u>mass extinction</u> is avoidable—if <u>carbon dioxide</u> emissions are dramatically curbed and we develop and deploy technologies to <u>remove carbon dioxide from the atmosphere</u>. But on the current trajectory, human activity threatens to make large parts of the Earth <u>uninhabitable</u> - a planetary tragedy of our own making.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: While we fixate on coronavirus, Earth is hurtling towards a catastrophe worse than the dinosaur extinction (2020, April 3) retrieved 10 May 2024 from <u>https://phys.org/news/2020-04-fixate-coronavirus-earth-hurtling-catastrophe.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.