

Neandertals had older mothers and younger fathers

April 23 2020



Aurora Borealis over Jokulsarlon Lagoon in Iceland. Credit: Alexey Stiop, 123RF Licence

When the ancestors of modern humans left Africa 50,000 years ago they met the Neandertals. In this encounter, the Neandertal population

contributed around two percent of the genome to present day non-African populations. A collaboration of scientists from Aarhus University in Denmark, deCODE Genetics in Iceland, and the Max Planck Institute for Evolutionary Anthropology in Leipzig, Germany, have conducted the most comprehensive study to date using data obtained from 27,566 Icelanders, to figure out which parts of our genomes contain Neandertal DNA and what role it plays in modern humans.

Every person of non-African decent shares around two percent of their DNA with the Neandertals. However, different people carry different pieces of Neandertal DNA so when the authors added them up they could reconstruct at least 38 percent of the Neandertal genome using 14 million Neandertal DNA fragments.

Comparing this Neandertal DNA with the Neandertal and Denisovan genomes, which were sequenced at the Max Planck Institute for Evolutionary Anthropology in Leipzig, the researchers found that the Neandertal population that mixed with modern Icelanders was more similar to a Neandertal found in Croatia than to Neandertals found in Russia. Unexpectedly, they also found that Icelanders carry traces of Denisovan DNA, which was previously only thought to be present in East Asians and populations from Papua New Guinea. One possibility is that ancestors of the Neandertal population who mixed with modern humans had earlier also mixed with Denisovans.

Differences in mutation patterns

In each generation, parents pass their DNA on to their children, and the age of each parent is known to greatly affect the types of mutations that they pass on. "By comparing the genetic mutations on the Neandertal DNA fragments to the corresponding modern human DNA fragments we found that, on average, Neandertal children had [older mothers](#) and

younger fathers compared to [modern humans](#)," says first author Laurits Skov, a researcher from Aarhus University and the Max Planck Institute for Evolutionary Anthropology.

Finally, the authors show that Neandertal DNA has a relatively minor effect on human health and appearance today. The few cases where Neandertal DNA has an effect among Icelanders leads to a slightly reduced risk of prostate cancer, slightly shorter height and a slightly faster blood clotting time.

More information: Laurits Skov et al. The nature of Neanderthal introgression revealed by 27,566 Icelandic genomes, *Nature* (2020). DOI: [10.1038/s41586-020-2225-9](https://doi.org/10.1038/s41586-020-2225-9)

Provided by Max Planck Society

Citation: Neandertals had older mothers and younger fathers (2020, April 23) retrieved 24 April 2024 from <https://phys.org/news/2020-04-neandertals-older-mothers-younger-fathers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.