

## Waiting game: testing the patience of predators and prey

May 12 2020



A Japanese striped snake (Elaphe quadrivirgata) and dark-spotted frog (Pelophylax nigromaculatus) staring down anticipating each other's next move Credit: Kyoto University/Nozomi Nishiumi

'Like a frog stared down by a snake', goes an old Japanese expression, describing an animal petrified with fear.



However, it now seems that this freeze in action may not be about fear at all, but rather a delicate waiting game of life and death.

A new report from researchers at Kyoto University's Graduate School of Science shows that this common interaction is all about patience, with each animal waiting for and anticipating its opponent's actions.

"When predator and prey face each other, it is generally thought that the initiator has the advantage that would mediate successful capture or escape," explains Nozomi Nishiumi, corresponding author of the report published in the *Canadian Journal of Zoology*.

"However, in cases involving snakes and frogs, they occasionally move extremely slowly—or almost not at all. It looks like they purposely avoid taking preemptive action."

Nishiumi, together with colleague Akira Mori, examined how the animals' behaviors affected the consequences of their interaction by focusing specifically on the kinematics of the snakes' strikes and the frogs' flight behavior.

The team analyzed the movement patterns of the Japanese striped snake, *Elaphe quadrivirgata*, and the black-spotted pond <u>frog</u>, *Pelophylax nigromaculatus*, both in the field and in staged encounter experiments.

"In the staged encounters we wanted to look at the disadvantages of preemptive actions by analyzing the kinematic characteristics of each animal's movements," explains Nishiumi.

"The field observations, on the other hand, were designed to follow the consequences of the animals' actions and survival."

The team found that the counteractions of each animal were often



effective because the initiator's actions were difficult to change once started. For example, if the snake initiated a strike action first, the frog would evade the attack because the trajectory of the strike could not be changed mid-movement, allowing the frog to escape safely while the snake spent time resetting its lunge posture.

Alternatively, if the frog first attempted an escape, the <u>snake</u> would start lunging immediately, and occasionally be able to adjust its strike direction in anticipation of the frog's direction of movement.

"The efficacy of this waiting tactic depends on the distance between them: the closer they are the less likely the counteraction succeeds," continues Nishiumi.

"In this regard, when approaching this critical distance, the animals appropriately switch their behaviors from waiting to taking action."

These results suggest that a game of patience occurs between the <u>animals</u>, providing insight on predicting the decision-making of predators and prey.

**More information:** Nozomi Nishiumi et al, A game of patience between predator and prey: waiting for opponent's action determines successful capture or escape, *Canadian Journal of Zoology* (2020). DOI: <u>10.1139/cjz-2019-0164</u>

## Provided by Kyoto University

Citation: Waiting game: testing the patience of predators and prey (2020, May 12) retrieved 6 May 2024 from <u>https://phys.org/news/2020-05-game-patience-predators-prey.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.