

High hopes for new-age rubber: 'Selfrepairing' material has many industrial uses

May 18 2020



A diagram of the new rubber polymer. Credit: Flinders University

Imagine a self-repairing rubber, or super-adhesive made entirely from waste materials.

It sounds like <u>science fiction</u>, but researchers have discovered a new kind of <u>rubber</u> and catalyst that together can be used with low energy consumption to make flexible, repairable, sustainable objects—including



car tires.

The new rubber material, made from cheap and plentiful industrial waste products sulfur, canola cooking oil and dicyclopentadiene (DCPD) from petroleum refining, can be completely repaired and returned to its original strength in minutes—even at <u>room temperature</u>—with an amine catalyst.

The new type of rubber can be seamlessly repaired if damaged and can also be recycled, says research leader Flinders University Associate Professor Justin Chalker, whose team's breakthrough findings are described in leading international journal *Chemical Science*.

The amine catalyst used to trigger the reaction that causes the rubber to self-repair occurs within minutes in some cases and it is all done at room temperature, scientists say.

"This study reveals a new concept in the repair, adhesion and recycling of sustainable rubber," says Associate Professor Chalker, adding too many plastics, rubbers and ceramics are not recyclable.

Each year in Australia, the equivalent of 48 million tires (tyres) reach the end of their life, only 16% of these are domestically recycled. Around two-thirds of used tires in Australia end up in landfill, are stockpiled, illegally dumped or have an unknown fate.

This represents both a waste of resources and creates health and environmental issues. Each passenger car tire contains approximately 1.5kg of steel, 0.5kg of textiles and 7 kg of rubber. - Source: Planet Ark

"It is exciting to see how the underlying chemistry of these materials has such wide potential in recycling, next-generation adhesives, and additive manufacturing."



Researchers from the Chalker Lab at the Flinders University Institute for Nanoscale Science and Technology, with University of Liverpool and University of Western Australia colleagues, say the new rubber can be used as a "latent adhesive".

"The rubber bonds to itself when the amine catalyst is applied to the surface. The adhesion is stronger than many commercial glues," says University of Liverpool researcher Dr. Tom Hasell.



Research led by Flinders University Associate Professor Justin Chalker has developed a new kind of 'self-repairing' rubber material. Credit: Flinders University



"The polymer is also resistant to water and corrosion."

Rubber bricks made out of this polymer can be chemically joined by applying the catalyst.

"In some cases, the amine catalyst causes the rubber to bond in just minutes, and it can be done at room temperature," explains Flinders University lead author Sam Tonkin.

"The rubber can also be used as a latent adhesive, where it bonds to the surface of another piece of rubber when the amine catalyst is applied.

"Basically the rubber is not 'sticky' until the <u>catalyst</u> is applied."

In addition to the highly useful practical applications, the new paper gives detailed fundamental studies on the mechanisms of the rubber repair.

More information: Samuel J. Tonkin et al, Chemically induced repair, adhesion, and recycling of polymers made by inverse vulcanization, *Chemical Science* (2020). <u>DOI: 10.1039/D0SC00855A</u>

Provided by Flinders University

Citation: High hopes for new-age rubber: 'Self-repairing' material has many industrial uses (2020, May 18) retrieved 30 June 2024 from <u>https://phys.org/news/2020-05-high-new-age-rubber-self-repairing-material.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.