


# Nanofiber membranes transformed into 3-D scaffolds

May 12 2020



Schematic illustrating the procedure of converting a 2D nanofiber mat into a cylinder-shaped nanofiber scaffold with (a) a hollow tube-shaped mold for a cylindrical shape and (b) a customized scaffold for a tube shape. The photographs (c) represent the different scaffold that can be created with different mold shapes. Credit: Jingwei Xie

In the movie "Transformers," cars morph into robots, jets or a variety of machinery. A similar concept inspired a group of researchers to combine

gas foaming, which is a blend of chemicals that induces gas bubbling, and 3-D molding technologies to quickly transform electrospun membranes into complex 3-D shapes for biomedical applications.

In *Applied Physics Reviews*, the group reports on its new approach that demonstrates significant improvements in speed and quality compared with other methods. The work is also the first successful demonstration of formation of 3-D neural [tissue](#) constructs with an ordered structure through differentiation of human neural progenitor/[stem cells](#) on these transformed 3-D [nanofiber](#) scaffolds.

"Electrospinning is a technology to produce nanofiber membranes," said co-author Jingwei Xie, at the University of Nebraska Medical Center.

"The physics principle behind it involves applying an electrical force to overcome the surface tension of a solution to elongate a solution jet into continuous and ultrafine fibers after solvent evaporation."

Due to an intrinsic property of electrospinning, nanofibers are often deposited to form 2-D membranes or sheets with dense structures and small pore sizes that are less than the size of cells.

"This greatly inhibits the applications of electrospun nanofibers, because cells fail to seed or penetrate throughout the nanofiber membranes, which is undesirable," he explained.

Researchers combined gas foaming and 3-D molding concepts to expand nanofiber membranes within a confined space to form predesigned 3-D nanofiber objects in cylindrical, cuboid, spherical, and irregular shapes.

"Our 3-D objects have the appropriate pore size and controlled fiber alignment for guiding and enhancing cell penetration to form new tissue," Xie said.

The group's work is significant, because it can be done within an hour. Other methods can require up to 12 hours to complete the transformation process.

"Thanks to the ability to mimic the architecture of extracellular matrix, electrospun nanofibers show great potential in applications such as [tissue engineering](#), regenerative medicine and tissue modeling," said Xie.

One of the group's most intriguing findings is that after coating 3-D nanofiber objects with gelatin, they exhibit superelasticity and shape recovery.

"Gelatin-coated, cube-shaped scaffolds functionalized with polypyrrole coatings exhibited dynamic electrical conductivity during cyclical compression," he said.

They also demonstrated that cuboid-shaped nanofiber objects were effective for compressible hemorrhage in a pig liver injury model.

In the future, the group's method may help "enable therapeutic-free biomaterials for tissue repair and regeneration, such as using pre-designed nanofiber objects to fit irregular tissue defects," Xie said. "Beyond that, superelasticity and shape recovery could allow 3-D-nanofiber objects to be applied in a minimally invasive manner."

**More information:** "Fast transformation of 2D nanofiber membranes into pre-molded 3D scaffolds with biomimetic and oriented porous structure for biomedical applications," *Applied Physics Reviews* (2020). [aip.scitation.org/doi/10.1063/1.5144808](http://aip.scitation.org/doi/10.1063/1.5144808)

Provided by American Institute of Physics

Citation: Nanofiber membranes transformed into 3-D scaffolds (2020, May 12) retrieved 21 March 2023 from <https://phys.org/news/2020-05-nanofiber-membranes-d-scaffolds.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.