

Persistence of forages is dependent on harvest intervals

May 14 2020



Alfalfa bloom after 35 days of growth in monoculture. Credit:
doi:10.1002/cft2.20018

A successful forage program is one in which mass production is consistently high for a long period, and management practices are essential to reach this goal. In the northern United States, researchers commonly study alfalfa. Producers from the southern region are interested in growing alfalfa, yet they need more information to adequately manage this forage crop in their environment.

In a recent study published in *Crop, Forage, and Turfgrass Management*, researchers investigated the effect of harvest intervals on the persistence of alfalfa in the field, either as a monoculture or mixed with grasses (such as bermudagrass and tall fescue). Four harvest intervals were imposed on all species combinations.

The team found that longer alfalfa harvest intervals in the southeastern U.S. resulted in positive outcomes. They also observed that growing alfalfa in mixtures with tall fescue resulted in greatest [forage](#) mass and nutritive value.

This study highlights the importance of investigating management of alfalfa and alfalfa mixtures before producers attempt to incorporate the species into their operations. The results from this study suggest that harvesting alfalfa at 42-day intervals produces the maximum amount of [alfalfa](#) productivity and persistence.

More information: Marcia P. Quinby et al, Harvest interval effects on the persistence and productivity of alfalfa grown as a monoculture or in mixtures in the southeastern United States, *Crop, Forage & Turfgrass Management* (2020). [DOI: 10.1002/cft2.20018](https://doi.org/10.1002/cft2.20018)

Provided by American Society of Agronomy

Citation: Persistence of forages is dependent on harvest intervals (2020, May 14) retrieved 15 August 2024 from <https://phys.org/news/2020-05-persistence-forages-harvest-intervals.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.