


The revolt of the plants: The arctic melts when plants stop breathing

May 14 2020



The impact of stomatal closure on air temperature when CO₂ level rises.

Credit: Pohang University of Science & Technology (POSTECH)

The vapor that plants emit when they breathe serves to lower land surface temperature, much like watering the yard on a hot day. Until now, the greenhouse effect has been blamed for the rise in global temperature. But an interesting study has shown that the Arctic temperature rises when the moisture released by plants is reduced due to the increase of carbon dioxide (CO₂) in the atmosphere.

The joint research team led by Professor Jong-Seong Kug and [doctoral](#)

[candidate](#) So Won Park of POSTECH's Division of Environmental Science and Engineering, and Researcher Jin-Soo Kim of the University of Zurich has confirmed that the increase in atmospheric CO₂ concentration closes the pores (stomata) of plants in high-latitude areas and reduces their transpiration, which ultimately accelerates Arctic warming. The findings, which were studied through the Earth system models (ESM) simulations, were recently published in *Nature Communications*, an authoritative journal in science.

Plants take in CO₂ and emit oxygen through photosynthesis. During this process, the stomata of leaves open to absorb CO₂ in the air and release moisture at the same time.

However, when the CO₂ concentration rises, plants can absorb enough CO₂ without opening their stomata widely. If the stomata open narrowly, the amount of water vapor released also decreases. When this transpiration of plants declines, the land temperature rapidly rises under greenhouse warming. Recently, such a decrease in transpiration has been cited as one of the reasons for the surge in heat waves in the northern hemisphere.

This response from the vegetation leads to the [global climate change](#) by controlling the exchange of energy between the surface and atmosphere, referred to as 'physiological forcing.' But so far, no study has confirmed the effects of physiological forcing on the Arctic climate system.

The joint research team analyzed the EMS simulation and confirmed that the increase in CO₂ leads to stomatal closure in land vegetation causing land warming, which in turn remotely speeds up Arctic warming through atmospheric circulation and [positive feedback](#) in Earth systems process.

In addition, a quantitative estimate of the stomatal closure's effect on

Arctic warming due to increased CO₂ showed that about 10% of the greenhouse effect is caused by this physiological forcing.

Professor Jong-Seong Kug, who has studied Arctic warming in a variety of perspectives, commented, "The stomatal closure effect due to the increased CO₂ levels is not fully counted in the future climate projection." He pointed out, "This means that Arctic warming can proceed much faster than currently forecast." He also warned that "the increase in CO₂ is accelerating global warming not only through the [greenhouse effect](#) that we all knew of, but also by changing the physiological function of [plants](#)."

More information: So-Won Park et al, The intensification of Arctic warming as a result of CO₂ physiological forcing, *Nature Communications* (2020). [DOI: 10.1038/s41467-020-15924-3](https://doi.org/10.1038/s41467-020-15924-3)

Provided by Pohang University of Science & Technology (POSTECH)

Citation: The revolt of the plants: The arctic melts when plants stop breathing (2020, May 14) retrieved 2 May 2024 from <https://phys.org/news/2020-05-revolt-arctic.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--