


Arrays of strontium Rydberg atoms show promise for use in quantum computers

June 4 2020, by Bob Yirka



Population and detection of Rydberg states in non-interacting and interacting configurations. Credit: *Nature Physics* (2020). DOI: 10.1038/s41567-020-0903-z

A team of researchers at California Institute of Technology has found that arrays of strontium Rydberg atoms show promise for use in a

quantum computer. In their paper published in the journal *Nature Physics*, the researchers describe their study of quantum entangled alkaline-earth Rydberg atoms arranged in arrays and what they learned about them. In the same issue, Wenhui Li, with the National University of Singapore, has published a [News & Views piece](#) exploring the state of quantum computing research, and outlines the work done by the team at CIT.

Quantum computers capable of conducting real computing work have still not been realized, but work continues as scientists are confident that the goal will be reached. And as Li notes, most of the early-stage demo quantum computers are based on [superconducting qubits](#) or trapped ion platforms, though other systems are being studied, as well. One such system is based on [neutral atoms](#) in which the charges of the protons and electrons balance. In this new effort, the researchers looked at a type of neutral atom system based on Rydberg [atoms](#) (excited atoms with one or more electrons that also have a high quantum number). To use such atoms in a quantum computer, they must, of course, be entangled—and there needs to be a lot of them, generally arranged in an array.

In their work, the team at CIT developed a way to demonstrate entanglement of Rydberg atoms in arrays—and as part of the system, they were able to detect and control Rydberg qubits with unprecedented fidelities. To achieve this feat, they began with realizing photon coupling between different levels of Rydberg ground-state qubits, thus avoiding scattering. Doing so also allowed for efficient detection of Rydberg states, greatly improving detection fidelity. The researchers also demonstrated two-qubit entanglement using tweezer potentials, also with [high fidelity](#).

The result showed that fidelities higher than 0.99 could be achieved with single- and two-qubit platforms of arrayed strontium Rydberg atoms, which, the team notes, is close to that achieved with superconducting

qubits or trapped ions. It also shows that studying quantum computers based on neutral atoms is a viable research option in the search for a true quantum [computer](#) solution.

More information: Ivaylo S. Madjarov et al. High-fidelity entanglement and detection of alkaline-earth Rydberg atoms, *Nature Physics* (2020). [DOI: 10.1038/s41567-020-0903-z](https://doi.org/10.1038/s41567-020-0903-z)

© 2020 Science X Network

Citation: Arrays of strontium Rydberg atoms show promise for use in quantum computers (2020, June 4) retrieved 23 March 2023 from <https://phys.org/news/2020-06-arrays-strontium-rydberg-atoms-quantum.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.