

Coffee, cocoa and vanilla: an opportunity for more trees with tropical agroforestry

June 16 2020



The cultivation of vanilla secures the income of many small-holder farmers in many tropical countries. Credit: Kristina Osen

The cultivation of coffee, cocoa and vanilla secures the income of many small-holder farmers and is also a driver of land-use change in many tropical countries. In particular, cultivation in agroforestry systems, in which these crops are combined with trees that provide shade, is often considered to have great potential for ecologically sustainable cultivation. Researchers at the University of Göttingen are now showing that the land-use history of agroforestry systems plays a crucial role in assessing the sustainability of agroforestry. The results have been published in the journal *Conservation Letters*.



Tropical agroforests differ greatly in their land-use history, i.e., the former use of the land now occupied by agroforests. On the one hand, an agroforest can be established directly in a forest—in this case, the undergrowth is removed and replaced by vanilla vines, coffee or cocoa bushes. In the process, many plant and animal species and important ecosystem services are lost. On the other hand, an agroforest can be established on land that is open—for example, on a pasture or cornfield that was once forest, but had been cleared for farming. In this case, the land would be replanted with trees, and so <u>animal species</u> that depend on trees may benefit. Trees also store carbon and may have a cooling effect, which can reduce global warming.

"Our results show that agroforestry systems can only lead to a significant enhancement of the landscape for biodiversity if they are established on open land," says Dominic Martin, first author of the study. "The conversion of the remaining species-rich <u>tropical forests</u> into coffee, cocoa or vanilla plantations should, however, be avoided."

This requires incentives, adds Professor Holger Kreft, head of the Biodiversity, Macroecology and Biogeography Group at the University of Göttingen. "Sustainability labels should take this into account and avoid giving certification to plantations that were previously forest. It is really only in this way that the ecological advantages of <u>cultivation</u> in <u>agroforestry</u> systems can be achieved. This can then help to ensure that our morning coffee can be enjoyed without a bitter aftertaste," says Kreft.





Vanilla agroforest in Madagascar, which was established directly in the forest. Although the cultivation provides a habitat for certain animal and plant species, "forest specialists" can no longer live here. Credit: Dominik Schwab



Vanilla agroforest in Madagascar, which was established on an open fallow land. The emergence of trees offers the chance to provide a habitat for certain additional species. Furthermore, tree growth contributes to carbon storage. Credit: Dominic Martin



More information: Dominic Andreas Martin et al, Land-use history determines ecosystem services and conservation value in tropical agroforestry, *Conservation Letters* (2020). <u>DOI: 10.1111/conl.12740</u>

Provided by University of Göttingen

Citation: Coffee, cocoa and vanilla: an opportunity for more trees with tropical agroforestry (2020, June 16) retrieved 14 May 2024 from https://phys.org/news/2020-06-coffee-cocoa-vanilla-opportunity-trees.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.