

Effects of potassium fertilization in pear trees

June 11 2020



'Rocha' pear harvest in Southern Brazil, 2017. Credit: P.B. Sete.



The amount of exchangeable potassium (K) contained in native soil does not always meet the necessary nutrient demand for a pear tree, which makes the use of K based fertilizer essential. Brazilian farmers face daily challenges to increase their productivity. Such challenges include a lack of knowledge of optimum fertilizer doses, and the critical levels of those fertilizer.

In a recent article published in *Agronomy Journal*, researchers report on a study to determine the impact of K based fertilizers on quality and yield of pears in an orchard with a long history of <u>fertilizer</u> use, in order to establish critical levels of K in the soil and leaves.

The team discovered that the levels of exchangeable K in the soil increased along with the application of K based fertilizers, but they did not find a correlation with the K concentration in leaves and fruits. Therefore, it was not possible to estimate the critical levels of K in the soil and leaves. Moreover, the fruits given <u>higher doses</u> of K showed the lowest values of ethylene production and respiration rate, which resulted in an increase in storage life in cold rooms and on the shelves.

More information: Paula Beatriz Sete et al, Potassium fertilization effects on quality, economics, and yield in a pear orchard, *Agronomy Journal* (2020). DOI: 10.1002/agj2.20235

Provided by American Society of Agronomy

Citation: Effects of potassium fertilization in pear trees (2020, June 11) retrieved 28 June 2024 from <u>https://phys.org/news/2020-06-effects-potassium-fertilization-pear-trees.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.