


Football pitch of rainforest destroyed every six seconds


June 2 2020, by Marlowe Hood

The Amazon

A vital ecosystem covering 9 South American countries



Indian territories




33.6 million inhabitants

- ▶ Many peasant farmers
- ▶ More than **250** languages spoken

377 Indian nations (2.5 million people)

- ▶ **130** nations live isolated from contact with the outside world

Sources: RAISG, REPAM



Brazil accounted for more than a third of the loss

Vast tracts of pristine rainforest on three continents went up in smoke last year, with an area roughly the size of Switzerland cut down or burned to make way for cattle and commercial crops, researchers said Tuesday.

Brazil accounted for more than a third of the loss, with the Democratic Republic of Congo and Indonesia a distant second and third, Global Forest Watch said in its [annual report](#), based on [satellite data](#).

The 38,000 square kilometres (14,500 square miles) destroyed in 2019—equivalent to a football pitch of old-growth trees every six seconds—made it the third most devastating year for primary forests since the scientists began tracking their decline two decades ago.

"We are concerned that the rate of loss is so high despite all the efforts of different countries and companies to reduce deforestation," lead researcher Mikaela Weisse, Global Forest Watch project manager at the World Resources Institute (WRI), told AFP.

If second-growth forests and plantations are included, the total area of tropical [forest](#) levelled by fire and bulldozers worldwide in 2019 was in fact three times bigger.

But virgin rainforests, as they were once known, are especially precious.

Undisturbed by modern development, they harbour the richest diversity of wildlife on Earth, and keep huge stores of carbon locked in their woody mass.



Rainforests harbour the richest diversity of wildlife on Earth

When set ablaze, that carbon escapes into the atmosphere as planet-warming CO₂.

"It will take decades or even centuries for these forests to get back to their original state"—assuming, of course, that the land they once covered is left undisturbed, Weisse said.

The forest fires that engulfed parts of Brazil last year made front-page news as the climate crisis loomed large in the public eye. but were not the main cause of Brazil's loss of primary forest, the data showed.

Satellite images revealed many new "hot spots" of forest destruction. In the state of Para, for example, these fire-ravaged zones corresponded to reports of illegal land-grabs inside the Trincadeira/Bacaja indigenous reserve.

Rare bright spot

And that was before President Jair Bolsonaro's government proposed legislation that would relax restrictions within these nominally protected regions on commercial mining, oil and gas extraction, and large-scale agriculture—all of which could make such incursions even more common.

Frances Seymour, a senior fellow at WRI, said this is not only unjust for the people who have lived in Brazil's rainforests for uncounted generations, but also bad management.



A Colombian Huitoto indigenous man. A mounting body of evidence suggests that legal recognition of indigenous land rights provides greater forest protection

"We know that deforestation is lower in indigenous territories," she said. "A mounting body of evidence suggests that legal recognition of indigenous land rights provides greater forest protection."

The coronavirus pandemic could also make things worse, not just in Brazil—which has been hit especially hard by COVID-19—but anywhere it saps the already anaemic enforcement capacities of tropical forest nations.

"Anecdotal reports of increased levels of illegal logging, mining, poaching and other forest crimes are streaming in from all over the

world," Seymour noted.

Neighbouring Bolivia saw unprecedented tree-cover loss in 2019—80 percent higher than any year on record—due to fires, both within primary forests and surrounding woodlands.

Soy production and cattle ranching were the two main drivers.


Australia was devastated last year by wildfires that caused dozens of deaths, destroyed thousands of homes and killed hundreds of millions of animals.

The area of tree cover lost to the blazes increased six-fold compared to the year before, and was by far the largest ever recorded.

Millions of hectares of forest cover lost

In 2000, forests covered about 4 billion hectares worldwide

Annual area lost, in millions of hectares



Since 2000, nearly 386 million hectares of forest have been lost
 Data does not take into account gains in forest cover, and therefore does not directly reflect changes in total forested area

Source: Global Forest Watch, World Resources Institute

© AFP

The planet lost 24 million hectares in forest cover in 2019

"We will probably see a high level of loss in 2020 since some of the fires were still raging" well into the new year, Weisse said.

Indonesia, meanwhile, showed a five percent drop in the area of forest—3,240 sq km—destroyed in 2019, the third consecutive year of decline, and nearly three times less than in the peak year 2016.

"Indonesia has been one of the few bright spots in the global data on tropical deforestation over the last few years," Seymour and two

colleagues wrote in a recent blog post.

Tropical ecosystems are vulnerable to both climate change and extractive exploitation.

A study in March calculated that the Amazon rainforest is nearing a threshold of deforestation which, once crossed, would see it morph into arid savannah within half a century.

The other countries with the most severe losses of [primary forests](#) in 2019 were Peru (1,620 sq km), Malaysia (1,200 sq km), and Colombia (1,150 sq km), followed by Laos, Mexico and Cambodia, all with less than 800 sq km.

© 2020 AFP

Citation: Football pitch of rainforest destroyed every six seconds (2020, June 2) retrieved 25 April 2024 from <https://phys.org/news/2020-06-football-pitch-rainforest-seconds.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.