

Ingredients for life appear in stellar nurseries long before stars are born

June 12 2020, by Daniel Stolte



Artist's illustration of complex organic molecules in space. Credit: NASA/Jenny Mottar

[uanews.arizona.edu/story/ingre ... -long-stars-are-born](https://uanews.arizona.edu/story/ingre...-long-stars-are-born)

Complex organic [molecules](#) that could serve as [building blocks](#) for life are more ubiquitous than previously thought in cold clouds of gas and dust that give birth to [stars](#) and planets, according to astronomers at the

University of Arizona Steward Observatory.

These molecules also appear much earlier than conventional wisdom suggested, hundreds of thousands of years before stars actually begin to form, the researchers found. Published in *The Astrophysical Journal*, the results challenge existing theories that require an environment heated by proto-stars—stars in the making—for complex organic molecules to become observable.

The study is the first to look for the signatures of two complex organic molecules, methanol and acetaldehyde, in a substantial number of prospective star-forming sites, unlike previous observations, which had mostly focused on individual objects. Pre-stellar or starless cores are so-named because while they do not yet contain any stars, they mark regions in space where cold dust and gases coalesce into the seeds that will give rise to stars and possibly planets.

The researchers used the Arizona Radio Observatory's 12-meter dish telescope on Kitt Peak, southwest of Tucson, to peer through the shroud of gas and dust of 31 starless cores scattered throughout a star-forming region known as the Taurus molecular cloud, located about 440 light-years from Earth. Each core can stretch over a distance that would cover up to 1,000 solar systems lined up next to each other.

"These starless cores we looked at are several hundred thousand years away from the initial formation of a protostar or any planets," said Yancy Shirley, associate professor of astronomy, who co-authored the paper with lead author Samantha Scibelli, a third-year doctoral student in Shirley's research group. "This tells us that the basic organic chemistry needed for life is present in the raw gas prior to the formation of stars and planets."



This image shows a wide-field view of part of the Taurus Molecular Cloud, about 450 light-years from Earth. Its relative closeness makes it an ideal place to study the formation of stars. Many dark clouds of obscuring dust are clearly visible against the background stars. Credit: ESO/Digitized Sky Survey 2/Davide De Martin

While scientists have long known about the existence in space of prebiotic molecules—which provide the building blocks necessary for life as we know it—it has been difficult to come up with conclusive answers to where and how they form and the mechanisms by which they end up on the surfaces of any prospective planet.

"The exact processes at play are still being debated, because the theoretical models still don't quite match what we see," Scibelli said. "With this paper, we can better constrain the mechanisms of formation that might be taking place by telling the theorists how abundant these molecules are."

Pre-stellar cores are like windows into the earliest evolutionary steps toward star systems with planets and possibly even [life forms](#), Scibelli explained, estimating that prior to this study fewer than 10 such objects had been studied for complex organic molecules. Similar observations usually focused on one molecule, methanol, whereas the survey described here specifically followed the evolution of methanol and acetaldehyde, an associated alcohol derivate.

For this survey, the team looked for the tell-tale signatures of the two molecules during an observation campaign totaling almost 500 hours of observing time.



The 12-meter radio telescope dish on Kitt Peak. Credit: Jeff Mangum/NRAO

Methanol was found to be present in all 31 pre-stellar cores, and 70% of them contained acetaldehyde in addition to methanol. The authors of the study interpret these results as evidence that complex organic molecules are much more widespread in nascent star-forming regions than previously thought.

These findings challenge traditional theories of how prebiotic molecules form, because they assume a scenario in which the heat from newborn stars provides the necessary environment for organic molecules to form. The abundance of complex organic molecules in clouds of extremely cold gas and dust that are still a long way away from such conditions means other processes must be at work.

"Inside these cores, which we think of as birthplaces, cocoons and nurseries of low-mass stars similar to our sun, the conditions are such that it's hard to even create these molecules," Scibelli said. "By doing surveys like this, we can understand better how precursors to life come into existence, how they migrate and enter solar systems at later stages of star formation."

Scibelli said the survey would not have been possible without the Arizona Radio Observatory on Kitt Peak. Because their content of dust and gas shields pre-stellar cores from view in optical light, astronomers have to revert to much longer wavelengths. Compared to many other astronomical targets, pre-stellar cores are very tranquil environments and extremely cold, so they emit very weak signals.

"Because we wanted to observe this large sample size of cores and get a detailed picture of how the two molecules evolve together, we needed to stare at these cores for a long time," Scibelli said, adding that it would be nearly impossible to do this type of survey with any other radio telescope because larger observatories are not able to allocate so much time for one project.

"We are really lucky, because with our facilities here in Arizona, we can do that," she said.

Compared to other objects in the universe, like galaxies, pre-stellar cores form on rather short timescales, with lifespans of less than a million years. Driven by processes like turbulence and gravitational forces, the gas and dust in the molecular cloud collapses to form filaments, and it is within those filaments that the denser cores form. Scibelli said the Taurus Molecular Cloud is especially interesting because it provides a glimpse into different evolutionary stages between cores.

"Not all cores may form stars; there is a lot of uncertainty involved," she said. "We think many of the cores are in early stages, which is why we don't see them forming stars right now."

To further refine models of prebiotic molecule evolution in the earliest stages, Shirley's group plans to home in on individual starless cores to gather a more comprehensive inventory of all the complex [organic molecules](#) present.

Objects such as the Taurus star-forming cloud offer important clues to the history of our own solar system, Scibelli said.

"Our [solar system](#) was born in a cloud like this, but the cloud is not there anymore for us to see," she said. "Looking at objects in space is a bit like looking at a photo album with snapshots taken of different people at

different stages of life, from their baby days all the way to old age, and in our case starless cores serve as stellar sonograms."

More information: Samantha Scibelli et al. Prevalence of Complex Organic Molecules in Starless and Prestellar Cores within the Taurus Molecular Cloud, *The Astrophysical Journal* (2020). [DOI: 10.3847/1538-4357/ab7375](https://doi.org/10.3847/1538-4357/ab7375)

Provided by University of Arizona

Citation: Ingredients for life appear in stellar nurseries long before stars are born (2020, June 12) retrieved 2 August 2024 from <https://phys.org/news/2020-06-ingredients-life-stellar-nurseries-stars.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.