

Movers and stayers: New study shows a broad diet helps tropical fish survive a range shift due to climate change

June 19 2020



Credit: Jack Hannan/Moorish Idol, Cabbage Tree Bay Sydney

The global redistribution of marine and terrestrial species due to climate change is a major concern for conservation planners and resource managers. Now new research, using data from long term surveys of tropical fishes, indicates that traditional studies of this range shift phenomenon largely ignore the sequential nature of species movement.

The study, published in *Global Change Biology* shows that what makes a [species](#) a successful "arriver" doesn't necessarily make you a successful "stayer."

The paper is part of an Australian Research Council-funded study, led by Professor Ivan Nagelkerken from the University of Adelaide(UA).

"Typically ecologists use life-history traits to predict which species have the highest probability of moving due to new environmental conditions. This can include traits such as large body size, broad latitudinal range, long dispersal duration," Professor Nagelkerken said.

"However our analyses of tropical fishes at the poleward edge of their distribution in Australia, shows that these traits predisposing larval fishes to extend their range southwards did not drive the early stages of redistribution.

"Instead, a broad diet was the main contributor to the establishment success during early stages," he said

Professor Nagekkerken said that generalist species generally fare better than specialists when "their environment is suffering from human impacts. We now show that being a generalist with a broad diet is also favorable when species escape warming environments and relocate to cooler areas."

Professor of marine biology and chief investigator on the project, David

Booth, from the University of Technology Sydney, said, "The study makes great use of the 18 year survey dataset we have on invading tropical fishes, and involved an ongoing collaboration with four academic institutions and a number of graduate students, both local and International. If we don't also consider the traits that make these same species capable of establishing and persisting, we're more likely to make erroneous predictions and be surprised by what future [fish](#) communities might look like," Professor Booth said.

The authors conclude the results highlight that generalist species that can best adapt to novel food sources might be most successful in a future ocean.

More information: Cristián J. Monaco et al. Dietary generalism accelerates arrival and persistence of coral-reef fishes in their novel ranges under climate change, *Global Change Biology* (2020). [DOI: 10.1111/GCB.15221](https://doi.org/10.1111/GCB.15221)

Provided by University of Technology, Sydney

Citation: Movers and stayers: New study shows a broad diet helps tropical fish survive a range shift due to climate change (2020, June 19) retrieved 23 May 2024 from <https://phys.org/news/2020-06-movers-stayers-broad-diet-tropical.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.