

## Nanoparticles can make home refrigeration more accessible for low-income households

June 1 2020





Nanoparticles can reduce the power consumption of cooling devices such as refrigerators, freezers and air-conditioning by substantial amounts. In a drop-in refrigerant replacement test, researchers from the University of Johannesburg observed a 29% cut in electricity use in a home fridge. Environmentally-unfriendly R134a was replaced by a mix of more energy-efficient R600a and mineral oil, dosed with multi-walled carbon nanotubes (MWCNT's). Credit: Mr Taiwo O. Babarinde, University of Johannesburg.

Power consumption of a home refrigerator can be cut by 29% while improving cooling capacity. Researchers replaced widely used but environmentally unfriendly R134a refrigerant with the more energyefficient R600a dosed with multi-walled carbon nanotube nanoparticles (MWCNT). This drop-in refrigerant replacement can be deployed in the field by trained technicians, says an engineer from the University of Johannesburg.

This test of nanoparticle-dosed refrigerants is the first of its kind, and the results are published in *Energy Reports*, an open-access journal. The study can help make home refrigeration more accessible for low-income families.

R134a is one of the most widely used refrigerants in domestic and industrial refrigerators. It is safe for many applications because it is not flammable. However, it has high global warming potential, contributing to climate change. It also causes fridges, freezers and air-conditioning equipment to consume a lot of electrical energy. The <u>energy</u> <u>consumption</u> contributes even more to climate change.

Meanwhile, a more energy-efficient <u>refrigerant</u> can result in much lower electricity bills. For vulnerable households, energy security can be



improved as a result. Improved energy economy and demand-side management can also benefit planners at <u>power</u> utilities, as cooling accounts for about 40% of energy demand.

## Nanoparticles enhance power reduction

Nano eco-friendly refrigerants have been made with water and ethylene glycol. Previous studies showed reduced <u>energy use</u> in nano-refrigeration by dosing existing refrigerants with MWCNT nanoparticles. The process also resulted in reduced friction and wear on appliance vapor compressors. But previous research did not test the effects of MWCNTs on hydro-carbon refrigerants such as R600a.

In their new study, researchers at the University of Johannesburg tested the drop-in replacement of environmentally unfriendly refrigerant R134a in a home refrigerator manufactured to work with 100g R134a.

The researchers removed the R134a refrigerant and its compressor oil from a household <u>fridge</u>. They used R600a dosed with MWCNTs with mineral oil as a lubricant. The new mix was fed into the fridge and performance tests were conducted. They found that the R600a-MWCNT refrigerant resulted in much better performance and cooling capacity for the fridge.

"The fridge cooled faster and had a much lower evaporation temperature of -11 degrees Celsius after 150 minutes. This was lower than the -8 degrees Celsius for R134a. It also exceeded the ISO 8187 standard, which requires -3 degrees Celsius at 180 minutes," says Dr. Daniel Madyira.

Dr. Madyira is from the Department of Mechanical Engineering Science at the University of Johannesburg.



"Electricity usage decreased by 29% compared to using R134a. This is a significant energy efficiency gain for refrigerator users, especially for low-income earners," he adds.

To gain these advantages, the choice of MWCNT nanoparticles is critical, he says. "The MWCNTs need to have a nanometer-scale particle size, which is extremely small. The particles also need to reduce friction and wear, prevent corrosion and clogging, and exhibit very good thermal conductivity," says Dr. Madyira.

## **Managing flammability**

The new refrigerant mix introduces a potential risk, however. Unlike R134a, R600a is flammable. On the other hand, it is more energy efficient, and it has a low global warming potential. Some refrigerator manufacturers have already adopted production with R600a and these appliances are available in the market.

"To do a safe drop-in replacement, no more than 150g of R600a should be used in a domestic fridge," says Dr. Madyira. "Before the replacement, the fridge used 100g of R134a gas. We replaced that with 50g to 70g of R600a, to stay within safety parameters."

Untrained personnel should not attempt this drop-in replacement, says Dr. Madyira. Rather, a trained refrigeration technician or technologist should do it.

"Mineral oil is used as the compressor oil. This should be mixed with the recommended concentration. A magnetic stirrer and ultrasonicator are needed to agitate and homogenize the ingredients in the mixture. The mixture can then be introduced into the compressor. After that, R600a can be charged into the refrigerator compressor, while taking care to not use more than 150g of the gas," says Dr. Madyira.



A far more energy-efficient refrigerant such as the R600a-MWCNT mix can save consumers a lot of money. Vulnerable households in hot climates in developing countries can benefit even more. Low-income earners in many countries are dependent on home fridges and freezers to safely store bulk food supplies. This greatly reduces the food waste due to spoilage or food poisoning due to improperly stored food. These appliances are no longer a luxury but a necessity, says Dr. Madyira. Without fridges, people may be forced to buy food daily in small quantities and at much higher prices. Because daily buying may not be required anymore, travel time and costs for buying food can be much lower, as well.

Refrigeration also makes it possible to safely store more diverse food supplies, such as fresh fruit and vegetables. Medicines that require cooling can be stored at home. This can make more balanced diets and nutrition, and better physical health, more accessible for a low-income household.

## **Grid power still rules for low-income refrigeration**

From a sustainability point of view, it may be preferable to run most home fridges and freezers from <u>solar power</u>. However solar panels, backup batteries and direct current (DC) fridges are still too expensive for most <u>low-income families</u> in areas served by power utilities. Energyefficient alternating current (AC) fridges running on grid power are more affordable for most people. Further cutting power consumption with R600a-MWCNT refrigerant can bring down costs even more.

As more low-income households and small businesses switch on gridpowered fridges, freezers and air-conditioning, power demand needs better management. In South Africa, where the study was conducted, the state-operated power utility faces huge challenges in meeting demand consistently. Long-lasting rolling blackouts, known as load-shedding,



have been implemented as a demand-side power management measure. Shaving off more than a quarter of the power consumption of fridges, freezers and air-conditioning units can free up national power supply for improved energy security.

**More information:** T.O Babarinde et al, Energy performance evaluation of R600a/MWCNT-nanolubricant as a drop-in replacement for R134a in household refrigerator system, *Energy Reports* (2020). <u>DOI:</u> <u>10.1016/j.egyr.2019.11.132</u>

Provided by University of Johannesburg

Citation: Nanoparticles can make home refrigeration more accessible for low-income households (2020, June 1) retrieved 27 June 2024 from <u>https://phys.org/news/2020-06-nanoparticles-home-refrigeration-accessible-low-income.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.