

Red Sea's coral reefs help protect Saudi Arabia coast

June 29 2020



KAUST's modeling reveals the important role of offshore reefs in protecting coastal zones and highlights the need to conserve the region's coral reefs. Credit: Reinhard Dirscherl / Alamy Stock Photo

Modeling shows that coral reefs off the east coast of Saudi Arabia have a vital role in protecting the coastal zone.

Prediction of storm surges and peak wave heights using advanced high-resolution modeling reveals the important role of offshore reefs in protecting coastal zones. The findings by KAUST researchers provide

valuable design criteria for city planning in the King Abdullah Economic City (KAEC) [coastal zone](#) and highlight the economic and disaster-mitigating imperative to conserve the Red Sea's coral reefs.

"The original task was to model the maximum wave heights to set the minimum safe floor elevation for structures and roadway design in the city," says Sabique Langodan from KAUST's Red Sea Modeling and Prediction Group. "Yet with the wealth of wave and water-level observations and accurate bathymetry (water depth) near the coastline, combined with the advanced modeling and supercomputing capabilities available to us at KAUST, we extended the study to investigate the role of coral reefs in modulating the wave climate of this [reef](#)-sheltered region."

To accurately predict extreme wave heights it is necessary to model how waves transform as they pass across reefs and the shallow sea floor using long-term wave data. Many inputs go into the simulation, including a model of the physical wave transformation process, bathymetry, atmospheric forcing and sea circulation. Just as important, however, is the simulation architecture and the computational platform because they determine the resolution and accuracy of the results.

"We configured a high-resolution model using an unstructured grid, which allows us to vary the resolution of the model over the domain, from 60 kilometer cells out to sea, to cells as small as 60 meters near the coastline," says Langodan.

The researchers used a coupled wave and circulation model to account for changes in wave heights resulting from variations in water levels and currents. They combined this with meteorological fields derived from a high-resolution regional atmospheric [model](#).

"Our high-resolution study allowed the minimum safe elevation in

KAEC to be revised lower, from 4.0 meters to 2.3 meters," says group leader Ibrahim Hoteit. "Although a relatively small drop, this leads to a saving of about 90 million cubic meters of fill material equating to about 500 million USD."

However, the study also showed that the lowered safe elevation depends on the presence of the [coral reefs](#) located off the Red Sea coast, which act as a natural breakwater to provide protection to coastal areas against hazards, such as wave runup, overtopping, flooding and erosion.

"The reefs reduce wave heights by half at the coastline," says co-author Omar Knio. "Reef-protected coastlines could still be at risk of larger waves if the coastal protection offered by reefs is reduced by coral degradation or sea level rise."

More information: Sabique Langodan et al. Wave modeling of a reef-sheltered coastal zone in the Red Sea, *Ocean Engineering* (2020). [DOI: 10.1016/j.oceaneng.2020.107378](#)

Provided by KAUST

Citation: Red Sea's coral reefs help protect Saudi Arabia coast (2020, June 29) retrieved 2 July 2024 from <https://phys.org/news/2020-06-red-sea-coral-reefs-saudi.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.