


# Scientists develop N-doped self-cleaning membranes that use visible light irradiation

June 30 2020, by Li Yuan



Schematic diagram of N-TiO<sub>2</sub> and TiO<sub>2</sub> coated membrane preparation and mechanism of visible-light-activated photocatalysis for fouling mitigation. Credit: ZHANG Huiru

Researchers from the Institute of Process Engineering (IPE) of the Chinese Academy of Sciences and Argonne National Laboratory in the U.S. have recently employed atomic layer deposition (ALD) to fabricate visible light-activated membranes that efficiently use solar energy.

The study was published in *Advanced Functional Materials* on June 30.

This research is important because membranes are among the most promising means of delivering increased supplies of fit-for-purpose water. However, membrane fouling remains a critical issue restricting their widespread application.

The modified membrane in this study exhibits outstanding antifouling and in situ self-cleaning performance under visible light irradiation.

Coupling photocatalysis with membrane separation has previously been proposed as a potentially effective way to reduce membrane fouling. However, materials used in photocatalysis limit the use of low-cost sources such as sunlight due to their large bandgaps.

To solve this problem, the researchers fabricated a visible light-activated photocatalytic film by doping nitrogen into the lattice of  $\text{TiO}_2$  deposited on commercial ceramic membranes using ALD.

The N- $\text{TiO}_2$  coating endowed membranes with a capacity for effective in situ self-cleaning and enhanced stability under solar irradiation owing to the [redox reactions](#) between organic foulants and generated [reactive oxygen species](#) (ROS) as well as the increase in surface hydrophilicity.

The synergy between membrane separation and redox reactions involving organic pollutants and ROS produced by the [visible light](#)-activated layer suggests a possibility for stable and sustainable membrane operation under in situ solar irradiation.

The researchers also highlighted the importance of ALD technology in fabricating the membranes.

Prof. Luo Jianquan from IPE said that the study "opens a door" to applying ALD technology to membrane surface modification for fouling control.

Seth B. Darling, a co-author from Argonne, noted that the current research is "among the first successful demonstrations of real-time self-cleaning of a membrane during operation." He also said that ALD is a powerful tool for improving the performance of membrane separations beyond fouling mitigation.

N-doped photocatalytic films and ALD offer promise for using [solar energy](#) to effectively control membrane fouling and for establishing a sustainable [membrane](#) separation system.

**More information:** Huiru Zhang et al. Visible-Light-Activated Photocatalytic Films toward Self-Cleaning Membranes, *Advanced Functional Materials* (2020). [DOI: 10.1002/adfm.202002847](https://doi.org/10.1002/adfm.202002847)

Provided by Chinese Academy of Sciences

Citation: Scientists develop N-doped self-cleaning membranes that use visible light irradiation (2020, June 30) retrieved 18 June 2024 from <https://phys.org/news/2020-06-scientists-n-doped-self-cleaning-membranes-visible.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.