


# Survival of coronavirus in different cities, on different surfaces

June 9 2020



(left) A droplet on a surface. (right) Comparison of the growth rate of the infection of different cities/regions (bars) with respective drying times (squares) of a 5-nanoliter droplet. The error bar represents the variability in outdoor weather. Credit: Rajneesh Bhardwaj and Amit Agrawal

One of the many questions researchers have about COVID-19 is how long the coronavirus causing the disease remains alive after someone infected with it coughs or sneezes. Once the droplets carrying the virus evaporate, the residual virus dies quickly, so the survival and transmission of COVID-19 are directly impacted by how long the droplets remain intact.

In a paper in *Physics of Fluids*, researchers examine the drying time of respiratory droplets from COVID-19-infected subjects on various surfaces in six cities around the world. These droplets are expelled from the mouth or nose when someone with COVID-19 coughs, sneezes or even speaks moistly. The droplet size is on the order of human hair width, and the researchers examined frequently touched surfaces, such as [door handles](#) and smartphone touchscreens.

Using a [mathematical model](#) well established in the field of interface science, the drying time calculations showed ambient temperature, type of [surface](#) and relative humidity play critical roles. For example, higher [ambient temperature](#) helped to dry out the droplet faster and drastically reduced the chances of virus survival. In places with greater humidity, the droplet stayed on surfaces longer, and the virus survival chances improved.

The researchers determined the droplet drying time in different outdoor weather conditions and examined if this data connected to the growth rate of the COVID-19 pandemic. Researchers selected New York, Chicago, Los Angeles, Miami, Sydney and Singapore and plotted the growth rate of COVID-19 patients in these cities with the drying time of a typical droplet. In the cities with a larger growth rate of the pandemic, the drying time was longer.

"In a way, that could explain a slow or fast growth of the infection in a particular city. This may not be the sole factor, but definitely, the outdoor weather matters in the growth rate of the infection," said Rajneesh Bhardwaj, one of the authors.

"Understanding virus survival in a drying droplet could be helpful for other transmissible diseases that spread through respiratory droplets, such as influenza A," said Amit Agrawal, another author.

The study suggests that surfaces, such as smartphone screens, cotton and wood, should be cleaned more often than glass and steel surfaces, because the latter surfaces are relatively hydrophilic, and the [droplets](#) evaporate faster on these surfaces.

**More information:** Rajneesh Bhardwaj et al, Likelihood of survival of coronavirus in a respiratory droplet deposited on a solid surface, *Physics of Fluids* (2020). [DOI: 10.1063/5.0012009](https://doi.org/10.1063/5.0012009)

Provided by American Institute of Physics

Citation: Survival of coronavirus in different cities, on different surfaces (2020, June 9) retrieved 2 May 2024 from <https://phys.org/news/2020-06-survival-coronavirus-cities-surfaces.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--