

# New technique for polymer manufacturing with reduced solvents aimed at vehicle, packaging production

June 16 2020

---

A team of Purdue University innovators hopes its new technology provides a more business-friendly option to utilize sustainable cellulose nanomaterials for use in vehicles, food packaging and other manufactured items.

The Purdue team developed a new way for manufacturers to use [nanocellulose](#)—a green nanomaterial derived from natural sources such as plant matter. Normally to process nanocellulose, solvents or other dispersants are usually added to the mixture to improve the material's dispersion in polymers.

"These methods can be very expensive for manufacturers, who must add additional processes and machinery to comply with emission standards that may be impacted by the use of the solvents," said Jeffrey Youngblood, a professor of materials engineering in Purdue's College of Engineering.

The Purdue innovators created a method that involves mixing the nanocellulose in additives for the [polymer material](#), such as plasticizer, and then compounding that mixture into the polymer instead of directly mixing them.

This technique could be applicable to a wide variety of polymers, including nylons used in the [automotive industry](#) and [polylactic acid](#) and

ethylene vinyl alcohol copolymer used in food packaging. It enables nanocellulose to be easily extruded or injection molded into useful products with better properties that are more sustainable.

"We created a way to use the additives that are normally in polymers as the 'solvent' to disperse the nanocellulose during melt processing," Youngblood said. "In this way, you still have increased properties, but without the pieces of the manufacturing process that require additional emissions-lowering components. This makes the process of using the nanocellulose, which is biodegradable, more sustainable as well."

Youngblood said the main advantages to the Purdue technique for large-scale polymer production are:

- Solvent-free compounding of nanocellulose into polymers.
- Homogenous mixture of hydrophilic nanocellulose and hydrophobic [polymer](#).

Provided by Purdue University

Citation: New technique for polymer manufacturing with reduced solvents aimed at vehicle, packaging production (2020, June 16) retrieved 22 March 2023 from <https://phys.org/news/2020-06-technique-polymer-solvents-aimed-vehicle.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.