

Unorthodox desalination method could transform global water management

June 26 2020




Illustration of the TSSE (temperature swing solvent extraction) process, a pioneering desalination approach for hypersaline brines that could transform global water management. Credit: Chanhee Boo/Columbia Engineering

Water security is becoming an urgent global challenge. Hundreds of millions of people already live in water-scarce regions, and the UN projects that by 2030 about half the world's population will be living in highly water-stressed areas. This will be a crisis even for developed countries like the U.S., where water managers in 40 states expect freshwater shortages within the next 10 years. As the global population and GDP grow, so will the demand for freshwater. And, with the continuing rise of global temperatures, water shortages will only get worse.

Desalination processes are increasingly being relied upon to augment [water supplies](#). In fact, global desalination capacity is projected to double between 2016 and 2030. But these processes are expensive and can be harmful to the environment. The ultrahigh salinity brines that are the byproduct of desalination can be several times that of seawater salinity and its management options are especially challenging for inland desalination facilities such as those in Arizona, California, Florida, and Texas.

Over the past year, Columbia Engineering researchers have been refining their unconventional desalination approach for hypersaline brines—temperature swing solvent extraction (TSSE)—that shows great promise for widespread use. TSSE is radically different from conventional methods because it is a solvent-extraction-based technique that does not use membranes and is not based on evaporative phase-change: it is effective, efficient, scalable, and sustainably powered. In a new paper, published online June 23 in *Environmental Science & Technology*, the team reports that their method has enabled them to attain energy-efficient zero-liquid discharge (ZLD) of ultrahigh salinity brines—the first demonstration of TSSE for ZLD desalination of hypersaline brines.

"Zero-liquid discharge is the last frontier of desalination," says Ngai Yin

Yip, an assistant professor of earth and environmental engineering who led the study. "Evaporating and condensing the water is the current practice for ZLD but it's very energy intensive and prohibitively costly. We were able to achieve ZLD without boiling the water off—this is a major advance for desalinating the ultrahigh salinity brines that demonstrates how our TSSE technique can be a transformative technology for the global water industry."

Yip's TSSE process begins with mixing a low-polarity solvent with the high salinity [brine](#). At low temperatures (the team used 5 °C), the TSSE solvent extracts water from the brine but not salts (which are present in the brine as ions). By controlling the ratio of solvent to brine, the team can extract all the water from the brine into the solvent to induce the precipitation of salts—after all the water is "sucked" into the solvent, the salts form solid crystals and fall to the bottom, which can then be easily sieved out.

After the researchers separate out the precipitated salts, they warm up the water-laden solvent to a moderate temperature of around 70 °C. At this higher temperature, the solvent's solubility for water decreases and water is squeezed out from the solvent, like a sponge. The separated water forms a layer below the solvent and has much less salt than the initial brine. It can be readily siphoned off and the regenerated solvent can then be reused for the next TSSE cycle.

"We were not expecting TSSE to work as well as it did," Yip says. "In fact, when we were discussing its potential for ZLD, we thought just the opposite, that the process would likely give out at some point when there is just too much salt for it to keep working. So it was a happy surprise when I convinced lead researcher Chanhee Boo to give it a try, for the heck of it, on a Friday afternoon and we got such great results."

With a simulated (lab-prepared) brine feed of 292,500 part-per-million

total dissolved solids, Yip's group was able to precipitate more than 90% of the salt in the original solution. In addition, the researchers estimated that the process used only about a quarter of the energy required for evaporation of water—a 75% energy savings compared to thermally evaporating the brine. They reused the solvent for several cycles with no noticeable loss in performance, demonstrating that the solvent was conserved and not expended during the process.

Then, to demonstrate the practical applicability of the technology, the team took a field sample of high-salinity brine, the concentrate of irrigation drainage water in California's Central Valley, where irrigation drainage water is difficult and costly to treat, and achieved ZLD with TSSE.

Conventional distillation methods require high-grade steam and are frequently supplemented with electricity to power vacuum pumps. Because TSSE requires only moderate temperature inputs, the low-grade thermal energy necessary can come from more sustainable sources, such as industrial waste heat, shallow-well geothermal, and low-concentration solar collectors.

"With the right solvent and right temperature conditions, we can provide cost-effective and environmentally sustainable concentrate management options for inland desalination facilities, utilizing brackish groundwater to alleviate the current and pending water stresses," Yip notes.

In addition to managing inland desalination concentrates, TSSE can also be used for other high salinity brines including flowback and produced [water](#) from oil and gas extraction, waste streams from steam-driven electric power stations, discharges from coal-to-chemical facilities, and landfill leachate. Yip's group is continuing to investigate the fundamental working mechanisms of TSSE, to engineer further improvements in its performance. This work includes further testing with real samples from

the field, as well as optimization of the overall process.

The study is titled "Zero Liquid Discharge of Ultrahigh Salinity Brines with Temperature Swing Solvent Extraction."

More information: Chanhee Boo et al, Zero Liquid Discharge of Ultrahigh Salinity Brines with Temperature Swing Solvent Extraction, *Environmental Science & Technology* (2020). [DOI: 10.1021/acs.est.0c02555](https://doi.org/10.1021/acs.est.0c02555)

Provided by Columbia University School of Engineering and Applied Science

Citation: Unorthodox desalination method could transform global water management (2020, June 26) retrieved 10 April 2024 from <https://phys.org/news/2020-06-unorthodox-desalination-method-global.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--