


Climate predictions several years into the future?

July 22 2020



Wind field variations can be used to predict changes in sea surface temperature in the Atlantic Ocean over a period of years. Credit: Annika Reintges, edited by Christoph Kersten/GEOMAR

Our planet's climate system is complex. Different components, like

atmosphere, ocean, sea and land ice influence each other and cause natural climate variations on a range of timescales from months to decades. Particularly for the long timescales, the ocean plays an essential role. In a new study published today, a research team led by GEOMAR Helmholtz Centre for Ocean Research Kiel investigates the possibility of utilizing the wind field to predict the North Atlantic surface temperature variations several years into the future. Such variations of the sea surface temperature also have the potential to influence the climate in Europe.

"Predictions of climate variations are possible for certain regions on Earth," says Dr. Annika Reintges, scientist at GEOMAR and lead author of the study, that is now published in *Geophysical Research Letters*. One example is the, every couple of years, recurring El Niño phenomenon in the tropical Pacific, that can be predicted a few months ahead. "Our study focuses on longer timescales, in a region where natural variability on decadal timescales is much larger than in the tropics," Reintges continues.

Are such predictions possible? What are the requirements and which kind of information can be provided by such predictions? These questions were addressed by a research team of GEOMAR and of the Leibniz Institute for Baltic Research Warnemünde. "Indeed, long-term predictions are possible. This is enabled by the slow, over several years, varying oceanic processes," explains Dr. Reintges. The difficulty is that ocean observations—that are necessary to start the model computation—must be as accurate as possible. "However, ocean observations, in particular below the [surface](#), are limited in quantity and quality' says Reintges.

"For the predictions in our study, we did not use any ocean observations. Instead, we create oceanic start values, by prescribing only observed variations in the wind at the sea surface. After some time, this brings the ocean of the model into a state that is sufficiently realistic to start

successful predictions for even more than 7 years into the future," explains the author of the study.

The research team suggests the following mechanism to explain this fact: The winds cause a change in the [ocean](#) circulation. By this, a certain region in the North Atlantic accumulates an anomalous amount of heat. This heat is then transported towards Northeast over a time of several years. This finally results in a warming of the sea surface in the eastern North Atlantic, in response to the winds many years before.

"Previous studies have shown that the sea surface temperature of the North Atlantic can influence the European climate. Therefore, such predictions of the North Atlantic surface temperature, covering several years are of great importance also for decision makers in politics, economy, society, and also for the public," Reintges concludes.

More information: A. Reintges et al, Wind Stress-Induced Multiyear Predictability of Annual Extratropical North Atlantic Sea Surface Temperature Anomalies, *Geophysical Research Letters* (2020). [DOI: 10.1029/2020GL087031](#)

Provided by Helmholtz Association of German Research Centres

Citation: Climate predictions several years into the future? (2020, July 22) retrieved 26 April 2024 from <https://phys.org/news/2020-07-climate-years-future.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.