

# Living fossils: We mapped a half-billion years of horseshoe crabs to save them from blood harvests

July 9 2020, by Russell Dean Christopher Bicknell

---



Credit: AI-generated image ([disclaimer](#))

If you ventured to the New York seaside in summer, you might see a large dome-shaped animal with a spiky tail, slowly moving towards the water. These are horseshoe crabs—the animals time forgot.

Fossil records for horseshoe [crabs](#) extend back about 480 million years. This is well over 200 million years before the dinosaurs.

More recently, horseshoe crabs have greatly helped advance modern medicine. Their [blood](#) is used to identify [endotoxins](#) in solutions. These are toxins found in bacteria, so anyone who has had an injection or surgery has been kept safe from dangerous toxins thanks to these creatures.

Unfortunately, the harvesting of their blood for this purpose is one reason horseshoe crabs are becoming an [endangered group](#). Our [research](#) published today in *Frontiers in Earth Science* will hopefully aid conservation efforts to protect these enigmatic creatures.

## **A modern medical marvel**

Completely harmless, but spiky like a cactus, horseshoe crabs are not actually crabs. They don't have the antennae or jaws their crustacean cousins do, and have additional pairs of legs (13 in total). In fact, they're more closely related to spiders and scorpions than crabs.

Defined within their own order, [Xiphosura](#), these animals are characterized by a horseshoe-shaped head section, a roundish hexagonal backside and a long tail. They are, in essence, a spider in a suit of armor that can swim upside down.



The American horseshoe crab *Limulus polyphemus*. Credit: WikiCommons

Horseshoe crabs have been used in medicine for at least the [past 40 years](#). Their endotoxin-revealing blood is blue and copper-based (unlike our red, iron-based blood).

A chemical refined from their blood can be used to identify contaminants in medical equipment that is inserted into [humans](#).


Blue blood is used to make sure injections, IV drips, and any implanted medical devices are safe for [human use](#).

## Blue bloodletting

However, to access this natural medicinal miracle, humans must collect horseshoe crabs and harvest their blood. While [blood loss](#) itself may not be the main cause of death, other factors such as capture and transport can impact group survival.

At present, with improved practices, between [6-15.4%](#) of horseshoe crabs die from harvesting.

This process represents one of the main threats to them today, even though a synthetic substitute for blue blood has been available for nearly two decades. However, there is uncertainty around the efficacy of this alternative, so horseshoe crabs are [still harvested](#).



Examples of fossil horseshoe crabs. Left to right: *Pickettia carteri*, *Albalimulus bottoni*, *Sloveniolimulus rudkini*, and *Tasmaniolimulus patersoni*. Credit: Reconstructions by Elissa Johnson and Katrina Kenny, Author provided

As a result, two of the four living species—the Chinese horseshoe crab and American horseshoe crab (also called the Atlantic horseshoe crab) – have been placed on the [International Union for Conservation of Nature's](#) vulnerable and endangered species list.

Apart from bloodletting for biomedical use, [other threats](#) facing horseshoe crabs include overharvesting, [human interaction and serious habitat modification](#).

## **Fantastic beasts, and where to find them (online)**

To help raise awareness about the challenges horseshoe crabs face, we created an [atlas of all fossil and living Xiphosura](#). This free, open access collection contains photos of every horseshoe crab species ever described in the group's 480-million-year history.

Alongside the photos, we provide outlines of how the four living species survived until now.

Building this atlas took three years. It involved emailing more than 100 researchers and museum managers, and even traveling from Australia to England, Germany, Russia, Slovenia and the United States to collect photographs.

The result is an example of every single horseshoe crab species ever documented, living or extinct—more than 110 in total.



*Austrolimulus fletcheri* lived in the New South Wales area during the Triassic. They're a truly unique species. Credit: Patrick Smith

### **The 'living fossil' that roamed with dinosaurs**

Our atlas can help highlight the unique and complex evolutionary history of horseshoe crabs.

These arthropods (invertebrates with an exoskeleton and jointed legs) survived all mass extinctions. Some have changed in appearance through time. For example, we have completely bizarre fossil forms, such as *Austrolimulus* – essentially a pick-ax in horseshoe crab form.

However, some fossil species look very similar to modern ones.

Compare the Jurassic-aged fossil *Mesolimulus*, found in [Solnhofen Limestone](#) in Germany, to American horseshoe crabs walking along the North American coast today. They are practically the same.

Apart from size differences, horseshoes crabs have changed very little over the past 150 million years or so, earning them the moniker "living fossils." But while specimens in the fossil record are between 3-30cm long, [horseshoe crabs](#) today can grow to more than 80cm.





Mesolimulus walchi, from the Solnhofen Limestone in Germany. Credit: Russell Bicknell/Paläontologisches Museum, München specimen.

Unfortunately, horseshoe crab populations, especially the American horseshoe crab, have been decreasing significantly due to blood harvesting. There's now [genuine concern](#) humans will drive these organisms to extinction.

Expanding our collective knowledge could help fuel future conservation efforts. Let's prevent these unique icons of a bygone era from passing into the annals of history.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Living fossils: We mapped a half-billion years of horseshoe crabs to save them from blood harvests (2020, July 9) retrieved 3 May 2024 from <https://phys.org/news/2020-07-fossils-half-billion-years-horseshoe-crabs.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.