

Homes of wealthy Americans have carbon footprints 25% higher than lower-income residences

July 20 2020



Credit: Pixabay/CC0 Public Domain

The homes of wealthy Americans generate about 25% more greenhouse gases than residences in lower-income neighborhoods, mainly due to



their larger size. In the nation's most affluent suburbs, those emissions can be as much as 15 times higher than in nearby lower-income neighborhoods.

Those estimates come from a new University of Michigan study of 93 million American homes. It is the most comprehensive study of U.S. residential greenhouse gas emissions, according to the authors, and the first to provide nationwide rankings by state and zip code. It is also the first nationwide study to find correlations between affluence, residential floor space and greenhouse gas emissions, they say.

In addition, the U-M researchers determined that the U.S. residential housing sector won't be able to meet the Paris climate agreement's 2050 emissions-reduction targets solely by phasing out <u>fossil fuels</u> in electricity generation. In-home fuel burning and electricity consumption must also be reduced. New homes will have to be smaller, and denser settlement patterns will be needed.

A paper summarizing the study's findings is scheduled for publication July 20 in the journal *Proceedings of the National Academy of Sciences*.

"Residential energy use accounts for roughly 20% of greenhouse gas emissions in the United States," said study lead author Benjamin Goldstein, a postdoctoral research fellow at U-M's School for Environment and Sustainability and at the Erb Institute.

"Although houses are becoming more energy efficient, U.S. household energy use and related greenhouse gas emissions are not shrinking, and this lack of progress undermines the substantial emissions reductions needed to mitigate climate change," he said.

"Despite the urgency, fundamental questions remain unanswered about U.S. household energy emissions. For example, researchers have lacked



the nationwide building-level data necessary to identify the states with the most energy- and carbon-intensive housing stocks."

To help answer some of these questions, Goldstein and his colleagues used data at the building level to estimate the residential greenhouse gas emissions of about 93 million homes in the contiguous United States—78% of the national total.

Information from CoreLogic, a database of standardized tax assessor records of about 150 million U.S. land parcels, was used to evaluate the influence of climate, income, building attributes (age, housing type, heating fuel) and the electrical power grid in driving residential emissions.

Household "greenhouse gas intensity" is a measure of the emissions per square meter of residential floor space and takes into consideration the types of fuels used to generate electricity at a given location.

The team's state-by-state rankings show that GHG intensity is lowest in the West and highest in the central United States. Regional variations were driven mainly by the amount of energy needed to heat and cool homes and by the type of fuel used to generate electricity.

"Energy intensity," the amount of energy used per square meter of floor space, was low in warm or mild regions of the country but markedly higher in cold north-central and Northeast states. The three most energyintensive states in 2015 were Maine, Vermont and Wisconsin. The three least energy-intensive states that year were Florida, Arizona and California.

The U-M researchers found that greenhouse gas-intensive electricity production can erase the benefits of low household energy intensity. Also, states with extensive use of carbon-intensive home heating



fuels—such as Maine, where two-thirds of households are heated with fuel oil—diminish the benefits of low-carbon electrical grids.

In their study, the researchers also estimated per capita household energy emissions for 8,858 zip codes across the country.

The zip code-level analysis showed that income is positively correlated with both per capita energy use and emissions, along with a tendency for wealth and living area to increase together. Wealthier Americans have estimated per capita carbon footprints about 25% higher than those of lower-income residents, with emissions up to 15 times higher in especially affluent suburbs.

One section of the study compared the Boston and Los Angeles areas to see how the interplay of income, building type and energy infrastructure distribute greenhouse gas emissions across urban landscapes. In both cities, the high-emissions neighborhoods were primarily high-income or extremely high-income locations. In contrast, more than half of the lowest-emissions neighborhoods in both cities were home to residents living below the poverty threshold.

The study's findings suggest two interventions to mitigate greenhouse gas emissions tied to U.S. residential energy use:

- 1. reducing fossil fuel use in homes and in electrical generation and
- 2. using home retrofits to cut energy demand and in-home fuel use.

As part of their study, the U-M researchers modeled four scenarios to test if various technology transitions—such as decarbonization of electrical grids and home energy retrofits—could enable the United States to meet 2025 and 2050 residential-sector targets of the international Paris Agreement.



The researchers concluded that if the U.S. electrical grid is decarbonized, meaning that fossil fuels are phased out, then the residential housing sector can meet the 28% emission-reduction target for 2025 under the Paris Agreement.

However, meeting the 2050 Paris Agreement target of an 80% emissions reduction would require more: aggressive home energy retrofits and a transition to low-carbon residential energy sources, as well as a move toward smaller U.S. homes and denser settlement patterns, the researchers concluded.

In November 2019, the Trump administration formally notified the United Nations that the U.S. is withdrawing from the Paris climate agreement.

"Our exploratory scenario-based models indicate that meaningful reductions to residential emissions will require concurrent grid decarbonization, energy retrofits, and reduced in-<u>home</u> fuel use," said study senior author Joshua Newell, an associate professor at the U-M School for Environment and Sustainability.

"The scenarios also suggest that making new construction low-carbon will require smaller homes, which can be promoted through denser settlement patterns," he said.

More information: The Carbon Footprint of Household Energy Use in the United States, *Proceedings of the National Academy of Sciences* (2020). DOI: 10.1073/pnas.1922205117

Provided by University of Michigan



Citation: Homes of wealthy Americans have carbon footprints 25% higher than lower-income residences (2020, July 20) retrieved 2 May 2024 from <u>https://phys.org/news/2020-07-homes-wealthy-americans-carbon-footprints.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.