

## Multisample technique to analyze cell adhesion

July 7 2020



The new assay developed at KAUST is a fluorescent multiplex cell rolling assay that uses unique fluorescent tags to label up to seven cell population types. Credit: © 2020 Elham Roshdy

King Abdullah University of Science and Technology researchers have developed a robust and efficient method of examining the interactions between cells using fluorescent tagging, simultaneously analyzing multiple cell populations, and speeding up a once tedious and limiting process. The new assay also has applications in studying cellular processes in inflammation or cancer cell metastasis and in assessing



potential treatments.

Cells move through <u>blood vessels</u> via <u>cell adhesion</u>, the interaction and attachment of cells to one another via specialized molecules on cell surfaces. During <u>blood flow</u>, shear forces act on the cells to orchestrate cell adhesion. Manipulation of cell adhesion can lead to inflammation and diseases like cancer, while pathogens such as viruses exploit cell adhesion to infect the body.

"The conventional assay used to study cell-cell interactions is the parallel plate flow chamber (PPFC) assay, which records videos of cells rolling in flow and adhering to molecules on <u>endothelial cells</u> (blood vessel lining cells)," says group leader Jasmeen Merzaban. "This assay has been used for decades, but it is prone to error and possible bias, and it can only analyze one cell type at a time, making it hugely time consuming."

Ayman AbuElela, with the other graduate students in Merzaban's lab, wanted to improve upon PPFC and speed up analyses.

Their new fluorescent multiplex cell rolling assay (FMCR) uses unique fluorescent tags to label up to seven cell population types. The cell samples are mixed just prior to entering the simulated flow over a layer of endothelial cells. A spectral confocal microscope captures images of the mixed <u>cell populations</u> in real time at high temporal resolution in a single pass. This allows researchers to collect data on cell kinetics, including the rolling frequency, velocity and tethering capability of individual cell types.





Unlike the standard cell rolling assay, which requires one run of the experiment for each cell type, the team's new fluorescent multiplex cell rolling assay uses unique fluorescent tags to label up to seven cell population types. Credit: © 2020 KAUST

"We developed a comprehensive data analysis pipeline, which enables us to analyze the multiple cell types we obtain by this approach and achieves high statistical power and sensitivity," says AbuElela. "FMCR is now used in our lab to study the migration of various human cells including stem cells, activated immune cells and breast cancer cells."



Another advantage of the new procedure is that before or during the <u>assay</u>, a test compound such as a new drug can be added to the cells to investigate the effect of the compound on cell adhesion.

"Such studies provide major insights into the effect of treatments on the migration and metastasis of <u>cells</u> and on how the drugs might work inside the body," notes Merzaban.

**More information:** Ayman F. AbuElela et al, Fluorescent Multiplex Cell Rolling Assay: Simultaneous Capturing up to Seven Samples in Real-Time Using Spectral Confocal Microscopy, *Analytical Chemistry* (2020). DOI: 10.1021/acs.analchem.9b04549

Provided by King Abdullah University of Science and Technology

Citation: Multisample technique to analyze cell adhesion (2020, July 7) retrieved 1 May 2024 from <u>https://phys.org/news/2020-07-multisample-technique-cell-adhesion.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.