

Nanocomposites with rich oxygen vacancies promote sensitive electroanalysis of Hg(II)





Figure: a) and b) SEM of CeO₂ (550 degrees C) and Ru/CeO₂, respectively; c) and d) TEM of CeO₂ (550 degrees C) and Ru/CeO₂, respectively; e), f) and g) the FT-IR [2UV-Vis and EPR spectra of CeO₂ (550 degrees C) and Ru/CeO₂, respectively; h) SWASV results and linear equations (inset) of Hg(II) detection with Ru/CeO₂ modified glassy carbon electrode; i) Comparisons of sensitivity and LOD (inset) of three modified electrodes; j) Interference measurements. Credit: YANG Meng



Recently, Yang Meng and his colleagues from the Institute of Solid State Physics, Hefei Institutes of Physical Science reported a sensitive electrochemical sensing performance of Ru-loaded single-crystalline (100) CeO_2 nanocomposites toward heavy metal ions (e.g., Hg(II)).

Metal oxides nanomaterials are limited in electrochemical detection of heavy metals due to their poor conductivity and less active sites, which hinders electron transport and reduces the redox rate of <u>heavy metal ions</u> (HMIs) on the surface, making it difficult to achieve sensitive and accurate detection of trace heavy <u>metal</u> pollution.

Therefore, improving the sensitivity of metal oxides nanomaterials to detect HMIs by increasing the conductivity and enriching the surface active sites has become the focus of scientists' research.

To tackle this problem, the research team developed Ru-loaded cerium dioxide nanocubes (Ru/CeO_2) with rich oxygen vacancies (OVs) to construct electrochemical sensing interface, which was used to detect Hg(II).

In addition to the novel fabrication, they also explored the possible mechanism of electrochemical signal enhancement through a series of electrochemical experiments, X-ray photoelectron spectroscopy (XPS) and electron paramagnetic resonance (EPR), etc.

The research results indicated that the predominantly exposed highly active (100) crystal facets and abundant OVs on the surface of CeO_2 nanocubes, as well as Ru nanoparticles with excellent metal activity on the surface of CeO_2 nanocubes, which may provide a large amount of reactive oxygen species and <u>active sites</u>, and enhance the conductivity of the Ru/CeO₂ nanocomposites, then to achieve outstanding



electrochemical properties by promoting the redox reaction of Hg(II).

Besides, the high anti-interference detection of Hg(II) in the presence of other HIMs was realized during their lab work.

Moreover, the accurate analysis of real water samples by Ru/CeO_2 nanocomposites demonstrates the great potential of their proposed method for electrochemical detection of Hg(II).

These findings not only expand the electrochemical sensing applications of pure semiconductors, but also shed new light on the new way of investigating atom-level electrochemical behaviors of semiconductors by surface electronic state modulation.

More information: Yu-Feng Sun et al. Ruthenium-loaded cerium dioxide nanocomposites with rich oxygen vacancies promoted the highly sensitive electrochemical detection of Hg(II), *Sensors and Actuators B: Chemical* (2020). DOI: 10.1016/j.snb.2020.128355

Provided by Chinese Academy of Sciences

Citation: Nanocomposites with rich oxygen vacancies promote sensitive electroanalysis of Hg(II) (2020, July 16) retrieved 2 May 2024 from <u>https://phys.org/news/2020-07-nanocomposites-rich-oxygen-vacancies-sensitive.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.