


# Porous graphene ribbons doped with nitrogen for electronics and quantum computing

July 8 2020

---



The individual building blocks are heated on a silver surface in order to synthesize a porous graphene ribbon that exhibits semiconducting properties and a ladder-like structure. In each rung of the ladder, two carbon atoms have been replaced with nitrogen atoms (blue). Credit: University of Basel, Department of Physics

A team of physicists and chemists has produced the first porous

graphene ribbons in which specific carbon atoms in the crystal lattice are replaced with nitrogen atoms. These ribbons have semiconducting properties that make them attractive for applications in electronics and quantum computing, as reported by researchers from the Universities of Basel, Bern, Lancaster and Warwick in the *Journal of the American Chemical Society*.

Graphene consists of a single layer of carbon atoms arranged in a [honeycomb structure](#). The material is of interest not only in basic research but also for various applications given its [unique properties](#), which include excellent electrical conductivity as well as astonishing strength and rigidity. Research teams around the world are working to further expand these characteristics by substituting carbon atoms in the [crystal lattice](#) with atoms of different elements. Moreover, electric and magnetic properties can also be modified by the formation of pores in the lattice.

## **Ladder-like structure**

Now, a team of researchers led by the physicist Professor Ernst Meyer of the University of Basel and the chemist Dr. Shi-Xia Liu from the University of Bern have succeeded in producing the first [graphene ribbons](#) whose crystal lattice contains both periodic pores and a regular pattern of nitrogen atoms. The structure of this new material resembles a ladder, with each rung containing two atoms of nitrogen.

In order to synthesize these porous, nitrogen-containing graphene ribbons, the researchers heated the individual building blocks step by step on a silver surface in a vacuum. The ribbons are formed at temperatures up to 220°C. Atomic force microscopy allowed the researchers not only to monitor the individual steps in the synthesis, but also to confirm the perfect ladder structure—and stability—of the molecule.

## Extraordinary properties

Using scanning tunneling microscopy, the scientists from the Department of Physics and the Swiss Nanoscience Institute (SNI) at the University of Basel also demonstrated that these new graphene ribbons were no longer electrical conductors, like pure graphene, but actually behaved as semiconductors. Colleagues from the Universities of Bern and Warwick confirmed these findings by performing theoretical calculations of the electronic properties. "The semiconducting properties are essential for the potential applications in electronics, as their conductivity can be adjusted specifically," says Dr. Rémy Pawlak, first author of the study.

From the literature, it is known that a high concentration of nitrogen atoms in the crystal lattice causes graphene ribbons to magnetize when subjected to a magnetic field. "We expect these porous, nitrogen-doped [graphene](#) ribbons to display extraordinary [magnetic properties](#)," says Ernst Meyer. "In the future, the ribbons could therefore be of interest for applications in quantum computing."

**More information:** Rémy Pawlak et al, Bottom-up Synthesis of Nitrogen-Doped Porous Graphene Nanoribbons, *Journal of the American Chemical Society* (2020). [DOI: 10.1021/jacs.0c03946](https://doi.org/10.1021/jacs.0c03946)

Provided by University of Basel

Citation: Porous graphene ribbons doped with nitrogen for electronics and quantum computing (2020, July 8) retrieved 24 April 2024 from <https://phys.org/news/2020-07-porous-graphene-ribbons-doped-nitrogen.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.