

Solar cell material performs better under pressure

July 15 2020



Segregation of bromide and iodide in perovskites results in an inhomogeneous energy landscape, depicted as hills and valleys. At high pressure, the iodide and bromide remain homogeneously distributed, so that the perovskites maintain



their favorable properties for solar cells. Image credit: THISillustrations.com

Solar cells produced from a combination of silicon and perovskite—especially the variant with mixed halides such as iodine and bromine—can be more efficient and cheaper than traditional silicon solar cells because they convert a greater proportion of the sunlight into electricity. However, perovskites degrade under the influence of light, and so they cannot yet be used for commercial applications. Substituting the cation (positively charged ion) in the structure improves the material's stability. Researchers from AMOLF have now revealed that this improvement arises from compression of the structure, comparable to applying considerable pressure on it. They have published their results in *Cell Reports Physical Science*.

Chemical intuition

A perovskite consists of a lead ion surrounded by halide ions such as <u>iodine</u> and <u>bromine</u> ions. This forms a 3-D structure with cages that are filled with a cation such as methylammonium. The problem is that if the structure is illuminated, separate areas arise in the material where either mainly <u>iodine</u> ions or mainly bromine ions occur. The advantage of the iodine-bromine mixture in the perovskites is then lost: a large part of the light spectrum is converted into heat instead of electricity.

Eline Hutter, a chemist by training and until this year a researcher at AMOLF, thought that the spontaneous separation of the halides might be prevented by subjecting the material to high <u>pressure</u>. "At the time, I did not exactly know why. I called it chemical intuition."

Challenging experiments



The Hybrid Solar Cells group at AMOLF previously developed a setup that was very useful in this case: a transient absorption spectrometer (TAS) that can measure the electronic properties of perovskites under very <u>high pressure</u>. "There is no other comparable setup that combines TAS with a pressure cell in the world," says group leader Bruno Ehrler. "But I was initially skeptical about Eline's idea, in part because experiments that we would have to do seemed too challenging."

Together with her colleague Loreta Muscarella, Eline Hutter used this setup to measure what happens after the material has been illuminated. "If there is no pressure on the material, we observe a separation of bromine and iodine. Under 3000 bar of pressure, we see that separation no longer occurs."

Practical solution

This result confirmed Hutter's hypothesis that the free volume in the material, and accordingly the pressure, plays a crucial role in the separation of the halides. Producing a solar cell that is under such a high pressure is impractical. However, there is a practical solution, explains Hutter. "If we replace the cation in the cages of the perovskite with a smaller cation such as cesium, a so-called chemical contraction takes place. The entire structure shrinks, just like earth that dries out and contracts. The effect is exactly the same as subjecting the material to high pressure."

Hutter and her colleagues subsequently used the TAS to demonstrate that in this chemically compressed <u>perovskite</u>, the separation of iodine and bromine no longer occurred. With this, they demonstrated that a forgotten aspect of the theory is important: the volume of the material was previously excluded from the calculations, says Hutter. "In my view, what makes this research so interesting is the link between the external and internal pressure."



This is a vital discovery to make perovskites stable, says Ehrler. "The focus has mostly been on the kinetics: delaying the movement of the ions to slow the separation. Now we have demonstrated that increasing the pressure, changes the thermodynamics: the ions move just as fast, but the iodine and <u>bromine</u> separating is no longer energetically favorable. So that segregation does not happen anymore."

More information: Hutter et al. Thermodynamic Stabilization of Mixed-Halide Perovskites Against Phase Segregation, *Cell Reports Physical Science*, (2020). <u>doi.org/10.1016/j.xcrp.2020.100120</u>

Provided by AMOLF

Citation: Solar cell material performs better under pressure (2020, July 15) retrieved 17 May 2024 from <u>https://phys.org/news/2020-07-solar-cell-material-pressure.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.