


Stay or leave? A tale of two virus strategies revealed by math

July 30 2020



Using a model to fit experimental data measured for cells infected with two strains of hepatitis C in the lab, researchers have quantified the viruses' preferences to adopt either a stay or leave strategy. The stay strategy emphasizes keeping copies of genetic code in the cell to accelerate replication, while the leave strategy focuses on packaging and sending out genetic code to infect more cells. Credit: Kyushu University

As small and relatively simple as they may be, even viruses have

strategies. Now, researchers in Japan report that they can evaluate two of these strategies through a combination of biology and math, providing a new tool for insight into viruses that could be used to develop better treatments.

Unable to reproduce on their own, viruses replicate by infecting a living organism's cells and getting the cells to make copies of them. Two main options exist for copies of a [virus's genetic structure](#) made in the cell: stay in the cell as a template for making even more copies or get packaged as a new virus and leave in an attempt to infect other cells.

Each option comes with trade-offs, so an individual virus's strategy of how much weight to place on each one should directly influence the progression of an infection and any health problems it may cause.

"While such strategies are expected to be in play, showing the existence of the strategy itself has been difficult," says Shingo Iwami, associate professor of the Faculty of Science at Kyushu University and associate investigator of the Institute for the Advanced Study of Human Biology (WPI-ASHBi) at Kyoto University.

However, as reported in the journal *PLOS Biology*, [collaborative research](#) led by Shoya Iwanami and Iwami at Kyushu University and Koichi Watashi at the National Institute of Infectious Diseases to mathematically model the behavior of two hepatitis C virus strains now provides a means to evaluate two such strategies.

While one of the studied virus strains causes severe and sudden symptoms, the other is a genetically modified version developed in the laboratory to increase virus production, which is important for creating stocks of viruses for the development of treatments and vaccines.

As an experimental base for the modeling, Watashi's group measured

characteristics of each virus's behavior—such as number of infected cells and the amount of viral genetic code inside and outside of the cells—over several days for cells grown and infected in the lab.

Iwami and his group then developed a [mathematical model](#) with parameters to take into account key processes like the replication and release rates of the viral genetic information to explain the experimental data.

By finding the range of model parameters that reasonably reproduce the experimentally observed results, they could quantify differences in behavior between the two [strains](#). In particular, they estimated that the fraction of replicated genetic code packaged by the lab-developed strain to make new viruses was three times that for the other strain, indicating the preference of a leave strategy for the former and a stay strategy for the latter.

"The stay strategy initially produces copies of the genetic code faster, while the leave [strategy](#) emphasizes newly infecting [cells](#)," explains Iwami. "Though other mathematical models exist, ours is the first to evaluate these opposing evolutionary strategies."

The current [model](#) does have some limitations, such as assuming some processes are constant and excluding some of the detailed biological processes, but for now, it provides a relatively simple way to gain an overall insight into two virus strategies.

"Such strategies may be common in other chronic virus infections, and understanding them could help us develop effective therapeutic methods to counter individual virus strategies," Iwami comments.

More information: "Should a viral genome stay in the host cell or leave? A quantitative dynamics study of how hepatitis C virus deals with

this dilemma," *PLOS Biology* (2020). [DOI: 10.1371/journal.pbio.3000562](https://doi.org/10.1371/journal.pbio.3000562)

Provided by Kyushu University

Citation: Stay or leave? A tale of two virus strategies revealed by math (2020, July 30) retrieved 28 April 2024 from <https://phys.org/news/2020-07-tale-virus-strategies-revealed-math.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--